

2973Q3



Aluminium Telescopic Waterfed Handle with metal coupling, 1600 - 2780 mm, Ø32 mm, Blue



Waterfed telescopic handle with quick release coupling, can be easily adjusted to the required length. Ergonomically designed to improve the working position of the user with a comfortable grip. Can be used with any product requiring a waterfed handle within the Vikan colour coded range. Max pressure 6 bar and max temperature 50 °C. Do not use this handle with acid or chlorine.

Technical Data

Item Number	2973Q3
Max. bars pressure	6 Bar
Material	Anodised Aluminium Polypropylene
Suitable for Food Contact (EU 1935/2004), ¹	No
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Use of Phthalates (e.g. Bisphenol A)	No
Is Halal compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs.
Box Length	1755 mm
Box Width	170 mm
Box Height	75 mm
Product Diameter	32 mm
Length	1600 mm
Width	32 mm
Height	32 mm
Max. Length	2780 mm
Gross Weight	1,095 kg
Net Weight	1,012 kg
Cubik metre	0,0016 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. usage temperature (for food contact)	80 °C
Max usage temperature (non food contact)	80 °C
Min. usage temperature	-20 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
Recycling Mark 7	No
GTIN-13 Number	5705022973305
GTIN-14 Number (Box quantity)	15705022973302
Commodity Code	76042910
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.