

LD6 Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 05/05/2016 Revision date: 05/06/2015

Version: 10.0

:

LD6

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product form : Mixture Product form : LD6 Product code : LD6 Type of product : Technical product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : Destainer for use in laundry cleaning 1.2. Uses advised against No additional information available STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDON Tel: 01298 26226 SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDON Tel: 01298 26226 SECTION 2: Hazards identification STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDON Tel: 01298 26226 SECTION 2: Hazards identification STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDON Tel: 01298 26226 SECTION 2: Hazards identification Calssification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 Calssification according to Regulation (E	LD
Product form : Mixture Product name : LD6 Product code : LD6 Type of product : Technical product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : Destainer for use in laundry cleaning 1.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDON Tel: 01298 26540 Email: Safety@Bedden.co.uk 1.4. Emergency telephone number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazard pictograms (CLP) : Danger Hazard statements (CLP) : H318 - Gauses serious eye damage Precautionary statements (CLP) : H318 - Gauses serious eye damage Precautionary statements (CLP) : P280 - Wear eye protection P3054P351+P333 - IF IN EYES: Rinse cautiously with water for s contact lenses, if Jones are by to A. Continue rinsing	
Product name : LD6 Product code : LD6 Type of product : Technical product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Professional use only Use of the substance/mixture : Destainer for use in laundry cleaning 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE. BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDON Tel: 01299 22626 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazard sidtements (CLP) : Danger Hazard sidtements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : P280 - Wear eye protection P3054P331+P333 - IF IN EYES: Rinse cautiously with water for s contract lenses, if JP 5.8 rinse cautiously with water for s contract lenses, if JP 5.8 rinse cautiously with water for s contract lenses, if JP 5.8 rinse cautiously with water for s contract lenses, if JP 5.8 rinse cautiously with water for s contract lenses, if JP 5.8 rinse cautiously with water for s contract lenses, if JP 5.8 rinse cautiously with water for s contract lenses, if JP 5.8 rinse cautiously with water for s contract lenses, if JP 5.8 rinse cautiously with water for s contract lenses, if JP 5.8 rinse cautiously with water for s contract lenses, if JP 5.8 rinse cautiously with water for s contract lenses, if JP 5.8 rinse cautiously with water for s contract lenses, if JP	
Product code : LD6 Type of product : Technical product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : Destainer for use in laundry cleaning 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED : STADEN LAKE, BUXTON, DERBYSHIRE, SK17 9R2, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26640 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26626 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazardous ingredients : 6 - (phthalimido)peroxyhexanoic acid Hazard statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : P280 - Wear eye protection P305+P335 - IFI NI SYES: Rinse cautiously with water for a contat lenses; if present and easy to 40. Contune rinsing	
Type of product : Technical product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Wain use category : Professional use only Jae of the substance/mixture : Destainer for use in laundry cleaning 1.2.1. Uses advised against No additional information available : Destainer for use in laundry cleaning 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINCDON Tel: 01298 26226 Fax: 01298 26226 Fax: 01298 26240 Emergency telephone number Email: safety@selden.co.uk Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification : Eventure Classification according to Regulation (EC) No. 1272/2008 [CLP] : Gesting Eventure : Gesting : Gesting Signal word (CLP) : Gesting </td <td></td>	
1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Wain use category : Professional use industrial/Professional use spec : For professional use only Jse of the substance/mixture : Destainer for use in laundry cleaning 1.2.1. Uses advised against No additional information available : 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9R2, UNITED KINGDON Tel: 01298 26226 Femergency telephone number Emergency telephone number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: HazardS identification 2.1 Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazard statements (CLP) : Danger Hazard statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : P280 - Wear eye protection	
1.2.1. Relevant identified uses Main use category : Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : Destainer for use in laundry cleaning 1.2.1. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet STADEN LANE, BUXTON, DERBYSHIRE, SK17 9R2, UNITED KINCDON, Tel: 01298 26226 SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9R2, UNITED KINCDON, Tel: 01298 26226 1.4. Emergency telephone number Emergency number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2000 [CLP] 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Edebling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazard pictograms (CLP) : Danger Hazard statements (CLP) : G-(phthalimido)peroxyhexanoic acid Hazard statements (CLP) : P280 - Wear eye protection Procautionary statements (CLP) : P280 - Wear eye protection Pa054-P3351+P33	
Main use category : Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : Destainer for use in laundry cleaning 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9R2, UNITED KINCDON, Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards Identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazardous ingredients : 6-(phthalimido)peroxyhexanoic acid Hazard statements (CLP) : P280 - Wear eye protection Procautionary statements (CLP) : P280 - Wear eye protection P305+P3351+P338. IF IN EYES: Rinse cautiously with water for s contact lenses, if present and easy to do. Continue rinsing	
Industrial/Professional use spec : For professional use only Use of the substance/mixture : Destainer for use in laundry cleaning 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDON Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : CHSOS Signal word (CLP) : Danger Hazardous ingredients : 6-(phthalimido)peroxyhexanoic acid Hazard statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : P280 - Wear eye protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for s contact lenses, if present and easy to do. Continue rinsing	
Use of the substance/mixture : Destainer for use in laundry cleaning 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDON Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazardous ingredients : 6-(phthalimido)peroxyhexanoic acid Hazard statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : P280 - Wear eye protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for scontact lenses, if present and easy to do. Continue rinsing	
1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDON Tel: 01298 26526 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16	
No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDON Tel: 01298 26526 1.4. Emergency telephone number Emergency number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard pictograms (CLP) : Danger Hazardous ingredients : 6-(phthalimido)peroxyhexanoic acid Hazard statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : P280 - Waer eye protection P305+P351+P338 - IF IN EYES: Rinse cautiously with watter for scottact lenses, if present and easy to do. Continue rinsing	
1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDON Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard pictograms (CLP) : Danger Hazardous ingredients : 6-(phthalimido)peroxyhexanoic acid Hazard statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : H318 - Full Series Cautiously with water for scontact lenses, if present and easy to do. Continue rinsing	
SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2000 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazard pictograms (CLP) : Danger Hazard statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : P280 - Wear eye protection Pass - IF IN EYES: Rinse cautiously with water for scontact lenses, if present and easy to do. Continue rinsing	
Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Hazard pictograms (CLP) : Hazardous ingredients : Hazard statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Pass - IF IN EYES: Rinse cautiously with water for scontact lenses; if present and easy to do. Continue rinsing	
Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : : GHS05 Signal word (CLP) : Hazardous ingredients : Hazard statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Pass - IF IN EYES: Rinse cautiously with water for scontact lenses, if present and easy to do. Continue rinsing	
SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Label elements Label lements Label lements GHS05 Signal word (CLP) # Danger Hazardous ingredients # 6-(phthalimido)peroxyhexanoic acid Hazard statements (CLP) Precautionary statements (CLP) P 280 - Wear eye protection P305+P335+P338 - IF IN EYES: Rinse cautiously with water for scontact lenses, if present and easy to do. Continue rinsing	
2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Hazard pictograms (CLP) : Hazardous ingredients : Hazard statements (CLP) : Precautionary statements (CLP) : Pass - IF IN EYES: Rinse cautiously with water for scontact lenses, if present and easy to do. Continue rinsing	
Classification according to Regulation (EC) No. 1272/2008 [CLP] Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS05 Signal word (CLP) : Hazardous ingredients : Hazard statements (CLP) : Precautionary statements (CLP) : Paso - Wear eye protection Paso - Wear eye protection Paso - Wear eye protection Paso - Wear eye protection Paso - Wear eye protection Paso - Wear eye protection Paso - Wear eye protection Paso - Wear eye protection Paso - Wear eye protection Paso - Wear eye protection Paso - Paso - Paso + Paso + Paso + Paso + Paso	
Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP) Hazard Statements (CLP) Hazard Statements (CLP) Precautionary statements (CLP) Hazard Statements (CLP)	
2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS05 Signal word (CLP) : Hazardous ingredients : Hazard statements (CLP) : Precautionary statements (CLP) : P280 - Wear eye protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for scontact lenses, if present and easy to do. Continue rinsing	
Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS05 Signal word (CLP) : Hazardous ingredients : Hazard statements (CLP) : Precautionary statements (CLP) : Pass - Pass - IF IN EYES: Rinse cautiously with water for scontact lenses, if present and easy to do. Continue rinsing	
Hazard pictograms (CLP) :	
Signal word (CLP) : Danger Hazardous ingredients : 6-(phthalimido)peroxyhexanoic acid Hazard statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : P280 - Wear eye protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for scontact lenses, if present and easy to do. Continue rinsing	
Signal word (CLP) : Danger Hazardous ingredients : 6-(phthalimido)peroxyhexanoic acid Hazard statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : P280 - Wear eye protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for scontact lenses, if present and easy to do. Continue rinsing	
Hazardous ingredients : 6-(phthalimido)peroxyhexanoic acid Hazard statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : P280 - Wear eye protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for s contact lenses, if present and easy to do. Continue rinsing	
Hazard statements (CLP) : H318 - Causes serious eye damage Precautionary statements (CLP) : P280 - Wear eye protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for scontact lenses, if present and easy to do. Continue rinsing	
Precautionary statements (CLP) : P280 - Wear eye protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for s contact lenses, if present and easy to do. Continue rinsing	
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for s contact lenses, if present and easy to do. Continue rinsing	
P310 - Immediately call a doctor	everal minutes. Remove
2.2 Other hererde	
2.3. Other hazards No additional information available	

SECTION 3: Composition/information on ingredients		
3.1.	Substance	
Not app	blicable	
3.2.	Mixture	

according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
6-(phthalimido)peroxyhexanoic acid	(CAS No) 128275-31-0 (EC no) 410-850-8 (EC index no) 617-019-00-0	15 - 30	O; R7 Xi; R41 N; R50	Org. Perox. D, H242 Eye Dam. 1, H318 Aquatic Acute 1, H400
Disodium dihydrogen (1- hydroxyethylidene)bisphosphonate	(CAS No) 7414-83-7 (EC no) 231-025-7	1 - 5	R53	Aquatic Chronic 4, H413

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Get medical advice/attention if you feel unwell.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Wash with plenty of soap and water.		
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Give nothing or a little water to drink. Get medical advice/attention if you feel unwell.		
4.2. Most important symptoms and eff	ects, both acute and delayed		
Symptoms/injuries after inhalation	: May cause respiratory irritation.		
Symptoms/injuries after skin contact	: Repeated exposure may cause skin dryness or cracking.		
Symptoms/injuries after eye contact	: Causes eye irritation.		
Symptoms/injuries after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.		
4.3. Indication of any immediate media	cal attention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.		
5.2. Special hazards arising from the	substance or mixture		
No additional information available			
5.3. Advice for firefighters			
No additional information available			
SECTION 6: Accidental release me			
SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures			
	squipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Use personal protective equipment as required.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for contain	ment and cleaning up		
For containment	: Collect spillage.		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.		
6.4. Reference to other sections			
	osure controls/personal protection". For further information refer to section 13.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Avoid contact with eyes.		
Hygiene measures	: Do not eat, drink or smoke when using this product.		
,,,			
7.2. Conditions for safe storage, inclu	aing any incompatibilities		

7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Does not require any specific or particular technical measures.	
Storage conditions	: Keep container closed when not in use.	
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.	
Special rules on packaging	: Keep only in original container.	

Page 2 of 5

8.1.

Safety Data Sheet

according to Regulation (EC) No. 453/2010

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

No additional information available

Control parameters

8.2. Exposure controls

No additional information available

SECTION 9: Physical and chemica	l properties
9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Appearance	: Liquid.
Colour	: white.
Odour	: odourless.
Odour threshold	: No data available
рН	: 4
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	ty
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	5
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information			
11.1.	Information on toxicological effects		
Acute tox	icity	: Not classified	

Safety Data Sheet

according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010	
Skin corrosion/irritation	: Not classified
	pH: 4
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	pH: 4 : Not classified
	: Not classified
Germ cell mutagenicity Carcinogenicity	: Not classified
	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
exposure)	. Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
Disodium dihydrogen (1-hydroxyethylidene)b	isphosphonate (7414-83-7)
Log Pow	-5.84
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	t in the second s
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
No additional information available	
SECTION 14: Transport information	N
	N
14.1. UN number	
Not regulated for transport 14.2. UN proper shipping name	
14.2.UN proper shipping nameProper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (ADR) Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: Not applicable
TOPOLOTIPPING NAME (IATA)	
14.3. Transport hazard class(es)	
14.3. Transport hazard class(es) ADR	: Not applicable
14.3. Transport hazard class(es) ADR	: Not applicable
14.3. Transport hazard class(es) ADR Transport hazard class(es) (ADR) IMDG	
14.3. Transport hazard class(es) ADR Transport hazard class(es) (ADR) IMDG	: Not applicable : Not applicable
14.3. Transport hazard class(es) ADR Transport hazard class(es) (ADR) IMDG	

I ransport nazard class(es) (IATA)	: Not applicable

14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

 VwVwS Annex reference
 : Water hazard class (WGK) nwg, non-hazardous to water (Classification according to VwVwS, Annex 4)

 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV
 : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

 Denmark
 : Denmark

 Recommendations Danish Regulation
 : Young people below the age of 18 years are not allowed to use the product

 15.2.
 Chemical safety assessment

SECTION 16: Other information

No additional information available

Full text of R-, H- and EUH-phrases:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Org. Perox. D	Organic Peroxides, Type D
H242	Heating may cause a fire
H318	Causes serious eye damage
H400	Very toxic to aquatic life
H413	May cause long lasting harmful effects to aquatic life

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product