

# SAFETY DATA SHEET Janitol Rapide

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Janitol Rapide

Product number JNR606, JNR606RS, JNR76D, JNR84C, JNR91A, 7118527

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Detergent. For full details regarding recommended uses please refer to the product label.

## 1.3. Details of the supplier of the safety data sheet

Supplier

Deb Ltd

Denby Hall Way

Denby Derbyshire DE5 8JZ

Main Tel. 01773 855100 Technical Tel 01773 855105

reach@deb.co.uk

#### 1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

## 2.2. Label elements

#### **Pictogram**



Signal word Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

## Janitol Rapide

**Precautionary statements** P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with national regulations.

Contains TETRASODIUM ETHYLENE DIAMINE TETRAACETATE, SODIUM HYDROXIDE, 3-C12-14-

(even numbered)-alkylamido-N,N-dimethylpropan-1-amino oxide

**Detergent labelling** < 5% amphoteric surfactants, < 5% cationic surfactants, < 5% EDTA and salts thereof, < 5%

non-ionic surfactants

Supplementary precautionary

P264 Wash contaminated skin thoroughly after handling.

**statements** P362+P364 Take off contaminated clothing and wash it before reuse.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

1-5%

CAS number: 64-02-8 EC number: 200-573-9 REACH registration number: 01-

2119486762-27-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R22 Xi;R41

Eye Dam. 1 - H318

SODIUM HYDROXIDE 1-5%

CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-

2119457892-27-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 C;R35

Skin Corr. 1A - H314 Eye Dam. 1 - H318

#### 3-C12-14-(even numbered)-alkylamido-N,N-dimethylpropan-

1-5%

1-amino oxide

CAS number: 68155-09-9 EC number: 268-938-5

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xi;R38,R41.

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Chronic 2 - H411

## **Janitol Rapide**

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

0.125%

CAS number: 63449-41-2 EC number: 939-350-2 REACH registration number: 01-

2119970550-39-XXXX

M factor (Acute) = 10 M factor (Chronic) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 Xn;R21/22. C;R34. N;R50.

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

TRISODIUM NITRILOTRIACETATE

<1%

CAS number: 5064-31-3 EC number: 225-768-6 REACH registration number: 01-

2119519239-36-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Carc. Cat. 3;R40 Xn;R22 Xi;R36

Eye Irrit. 2 - H319 Carc. 2 - H351

ETHANEDIOL <1%

CAS number: 107-21-1 EC number: 203-473-3

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R22

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Get medical attention if any discomfort continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention.

**Skin contact** Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical

attention if irritation persists after washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Irritation of nose, throat and airway.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting.

**Skin contact** Skin irritation.

**Eye contact** Irritation of eyes and mucous membranes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

## **Janitol Rapide**

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Does not decompose when used and stored as recommended.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions**Collect and dispose of spillage as indicated in Section 13. Avoid discharge to the aquatic

environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Flush contaminated area with plenty of water. Avoid contamination of ponds or

watercourses with washing down water.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions**Wear appropriate clothing to prevent skin contamination. Avoid contact with skin and eyes.

Avoid spilling.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in closed original container at temperatures between 0°C and 30°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

## SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

**ETHANEDIOL** 

## **Janitol Rapide**

Long-term exposure limit (8-hour TWA): WEL 20 ppm 10 mg/m<sup>3</sup>

Sk

Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit Sk = Can be absorbed through skin.

Ingredient comments None

## TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

**DNEL** Professional - Inhalation; Short term systemic effects: 2.8 mg/m³

Consumer - Oral; Long term systemic effects: 28 mg/kg/day Professional - Inhalation; Long term local effects: 2.5 mg/m³ Consumer - Inhalation; Short term systemic effects: 1.5 mg/m³ Professional - Inhalation; Short term local effects: 2.5 mg/m³ Professional - Inhalation; Short term systemic effects: 2.5 mg/m³ Consumer - Inhalation; Long term local effects: 1.5 mg/m³ Professional - Inhalation; Long term systemic effects: 2.5 mg/m³

PNEC - ; Intermittent release 1.2 mg/l

- STP; 43 mg/l

Marine water; 0.22 mg/lSoil; 0.72 mg/kgFresh water; 2.2 mg/l

#### SODIUM HYDROXIDE (CAS: 1310-73-2)

**DNEL** Industry - Inhalation; Long term local effects: 1 mg/m<sup>3</sup>

Consumer - Inhalation; Long term local effects: 1 mg/m<sup>3</sup>

#### 3-C12-14-(even numbered)-alkylamido-N,N-dimethylpropan-1-amino oxide (CAS: 68155-09-9)

**DNEL** Workers - Inhalation; Long term systemic effects: 15.5 mg/m³

Workers - Dermal; Long term systemic effects: 11 mg/kg/day

Workers - Dermal; Long term local effects: 0.27 %

General population - Inhalation; Long term systemic effects: mg/m³ General population - Dermal; Long term systemic effects: mg/kg/day

General population - Dermal; Long term local effects: 0.27 %

General population - Oral; Long term systemic effects: 0.44 mg/kg/day

PNEC - Fresh water; 3.4 μg/L

- Marine water; 0.34 μg/L- Intermittent release; 3.4 μg/L

- STP; 6.674 mg/l

Sediment (Freshwater); 4.85 μg/kg
Sediment (Marinewater); 0.485 μg/kg

- Soil; 2.18 µg/kg

## REACTION PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM HYDROXIDE

**DNEL** Professional - Dermal; Long term systemic effects: 5.3 mg/kg/day

Professional - Inhalation; Long term systemic effects: 3.8 mg/m³ Consumer - Dermal; Long term systemic effects: 2.7 mg/kg/day Consumer - Inhalation; Long term systemic effects: 0.9 mg/m³ Consumer - Oral; Long term systemic effects: 0.3 mg/kg/day

## **Janitol Rapide**

PNEC - Sediment (Marinewater); 0.0108 mg/kg

- STP; 9.9 mg/l

- Fresh water; 0.03 mg/l

Sediment (Freshwater); 0.108 mg/kgIntermittent release; 0.042 mg/l

- Soil; 0.0041 mg/kg

- Marine water; 0.0003 mg/l

## ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE (CAS: 63449-41-2)

**DNEL**Workers - Inhalation; Long term systemic effects: 3.96 mg/m³
Workers - Dermal; Long term systemic effects: 5.7 mg/kg/day

General population - Inhalation; Long term systemic effects: 1.64 mg/m³ General population - Dermal; Long term systemic effects: 3.4 mg/kg/day General population - Oral; Long term systemic effects: 3.4 mg/kg/day

PNEC - Fresh water; 0.0009 mg/l

- Marine water; 0.00096 mg/l - Intermittent release; 0.00016 mg/l

- STP; 0.4 mg/l

Sediment (Freshwater); 12.27 mg/kgSediment (Marinewater); 13.09 mg/kg

- Soil; 7 mg/kg

#### 8.2. Exposure controls

## Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or

face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash hands thoroughly after handling. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

## **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour Reddish.

## **Janitol Rapide**

Odour Characteristic.

Odour threshold Not determined.

pH (concentrated solution): 12-13

Melting pointNot determined.Initial boiling point and rangeNot determined.Flash pointNot determined.

Upper/lower flammability or

explosive limits

**Evaporation rate** 

Not applicable.

Not determined.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density 1.021-1.041 @ 25C°C

Soluble in water.

Partition coefficient Scientifically unjustified.

Auto-ignition temperature Scientifically unjustified.

Decomposition Temperature Not determined.

Viscosity Not determined.

**Explosive properties** Scientifically unjustified.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information Not relevant.

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous

Not applicable.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid freezing.

10.5. Incompatible materials

Materials to avoid Avoid contact with acids and alkalis.

## 10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

#### SECTION 11: Toxicological information

## **Janitol Rapide**

## 11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 16,393.44

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Human skin model test Cell Viability (%) 79 4 hrs

Serious eye damage/irritation

Serious eye damage/irritation Irritating.

Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vivo**Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity There is no evidence that the product can cause cancer.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

**STOT - single exposure**Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard based on chemical structure.

**Inhalation** May cause respiratory system irritation.

**Ingestion** May cause discomfort if swallowed.

Skin contact Irritating to skin.

Eye contact Irritating to eyes.

## TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 1,780.0

mg/kg)

Species Rat Rat

## Janitol Rapide

Notes (oral LD₅₀) LD50 > 1780 < 2000 mg/kg bw

1,780.0 ATE oral (mg/kg)

Acute toxicity - dermal

**Species** Rat

3.300.0 ATE dermal (mg/kg)

Acute toxicity - inhalation

Notes (inhalation LC50) LOAEC ca. 30 mg/m3 air

ATE inhalation (vapours

mg/l)

11.0

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye

damage/irritation

H318

Respiratory sensitisation

Respiratory sensitisation : Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation -: Conclusive data but not sufficient for classification.

Germ cell mutagenicity

Genotoxicity - in vitro Conclusive data but not sufficient for classification.

Genotoxicity - in vivo Conclusive data but not sufficient for classification.

Carcinogenicity

Carcinogenicity Conclusive data but not sufficient for classification.

Reproductive toxicity

Reproductive toxicity -

fertility

Conclusive data but not sufficient for classification.

Reproductive toxicity -

development

Conclusive data but not sufficient for classification.

Specific target organ toxicity - single exposure

STOT - single exposure Conclusive data but not sufficient for classification.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Conclusive data but not sufficient for classification.

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

Acute toxicity - oral

Acute toxicity oral (LD₅o

795.0

mg/kg)

Rat Rat **Species** 

ATE oral (mg/kg) 795.0

## Janitol Rapide

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 1,560.0

mg/kg)

**Species** Rat

ATE dermal (mg/kg) 1,560.0

Skin corrosion/irritation

Animal data Primary dermal irritation index: 6.29

SECTION 12: Ecological Information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

12.1. Toxicity

**Toxicity** The product is not expected to be toxic to aquatic organisms.

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Acute toxicity - fish LC<sub>50</sub>, 96 hours: >100 mg/l, Algae

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: >100 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC<sub>50</sub>, 72 hours: <100 mg/l, Fish

Acute toxicity - terrestrial LC<sub>50</sub>, 14 days: 156 mg/kg, Eisenia Fetida (Earthworm)

life stage

Chronic toxicity - fish early , 28 days: >=36.9 mg/l, Brachydanio rerio (Zebra Fish)

Chronic toxicity - aquatic

invertebrates

, 21 days: 25 mg/l, Daphnia magna

**SODIUM HYDROXIDE** 

Acute toxicity - fish

LC<sub>50</sub>, 96 hours: 125 mg/l, Algae

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, : 76 mg/l, Daphnia magna

Acute toxicity -

microorganisms

EC<sub>50</sub>, : 22 mg/l,

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

Acute aquatic toxicity

 $0.01 < L(E)C50 \le 0.1$ LE(C)50

M factor (Acute) 10

Acute toxicity - fish LC50, < 96 hours: 1 mg/l,

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, < 48 hours: 1 mg/l, Daphnia magna

## **Janitol Rapide**

Acute toxicity - aquatic

plants

IC<sub>50</sub>, < 48 hours: 1 mg/l, Freshwater algae

Acute toxicity -

EC<sub>50</sub>, 3 hours: 7.75 mg/l, Activated sludge

microorganisms

Acute toxicity - terrestrial NOEC, 14 days: 1000 mg/l, mg/kg, Eisenia Fetida (Earthworm)

Chronic aquatic toxicity

M factor (Chronic) 1

#### 12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Scientifically unjustified.

## TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Bioaccumulative potential : 1.8 (28d), Lepomis macrochirus (Bluegill)

12.4. Mobility in soil

**Mobility** The product is soluble in water. The product is non-volatile.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

None known.

12.6. Other adverse effects

Other adverse effects None known.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. No specific disposal method required. Reuse or recycle products wherever possible. The following information is provided from exposure scenario(s) received from suppliers for the listed substances. The figures have been calculated using EU standard models & are not based on local conditions. Note that more than one product used on site might contain these substances. Also note the Trade Effluent Consent and/or Environmental Permit may have restrictions below these figures so it is recommended that

you consult your local waste water treatment company. Contains AMINES C12-18 ALKYLDIMETHYL, N-OXIDES Maximum discharge of product per day 330L

ALK I LDIMETHIL, N-OXIDES Maximum discharge of product per c

#### SECTION 14: Transport information

Road transport notes Not classified.

Rail transport notes Not classified.

## Janitol Rapide

Sea transport notes Not classified.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## **SECTION 16: Other information**

**General information** Only trained personnel should use this material.

Key literature references and

sources for data

Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the

appropriate relevant information is incorporated into this Safety Data Sheet.

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 21/10/2015

Revision 4

Supersedes date 11/09/2015

## **Janitol Rapide**

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs (Kidneys) through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Notes for Risk Phrases and Hazard Statements in Full The full text for Risk Phrases and Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.