



#### NT 48/1

Compact 48 litre wet & dry multi-purpose vacuum

#### 1 Container emptying

Easily accessible drain hose for convenient liquid disposal.

#### 2 Accessory storage

Accessories can be attached to the container at the rear of the machine.

### **TECHNICAL DATA AND EQUIPMENT.**





#### NT 48/1

- All-purpose brush
- Cartridge filter with larger filter area
- Drain hose

Technical data		
Order Number		1.428-622.0
EAN code		4039784724952
Air flow	I/s	67
Vacuum	mbar / kPa	200 / 20
Container capacity	1	48
Max. rated input power	W	1380
Standard nominal size		35
Cable length	m	7,5
Sound level	dB(A)	72
Container material		Plastic
Quantity of motors		1
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	10,5
Dimensions (L x W x H)	mm	490 × 390 × 780
Container material Quantity of motors Frequency Voltage Weight	Hz V kg	Plastic 1 50-60 220-240 10,5

Equipment		
Suction hose	m	2,5
Metal suction tube, 2 x 0.5 m		I
Filter bag		Paper
Wet and dry floor tool	mm	400
Crevice nozzle		I
Cartridge filter		I
Drain hose		1
Bend		1
Safety class		
Caster with brake		I

■ Included in delivery.































		1		1		1			_
		Order Number	Quantity	ID	Length	Width	Price	Description	
Paper filter (2 ply)									
Filter bags 5StNT 65/2 ECO	1	6.904-285.0	5 piece(s)					5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust	
								class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco	
Cartridge filter paper								Tc models.	L
Cartridge filter	1 2	6.414-789.0	1 piece(s)					Paper cartridge filter with larger filter surface, standard for	
cui il luge linter		0.414 705.0	1 picce(s)					NT 48/1 and optional for NT 27/1/Me Advanced.	
Plastic bend									
Plastic bend	3	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial	1
								single-motor NT 361 to NT 611 Eco models (except NT Eco	
	4	5.031-939.0	1 piece(s)	ID 35				M and NT Eco H).  Electrically conductive plastic bend (DN 35) with C-35 clip	
	4	3.031 333.0	T hiera(2)	רכ טו				system. For all industrial single-motor NT 361 to NT 611	
								Eco models.	L
Plastic bend, ID 35	5	6.902-009.0	1 piece(s)	ID 35				Plastic, ID 35.	
All-purpose brushes				_					
All-purpose brush		6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	
	7	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	
All-purpose nozzles (wet/dry)		l c ooc 540 o		Lipios	1		1	Lall 1 (5) (5) (1) (60)	
Floor tool DN35	8	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and	
								squeegees (6.903-277.0). Only for NT vacuum cleaners.	-
	9	2.889-118.0	1 piece(s)	ID 35		400 mm			
Floor tool DN40-370	10	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width.	
								With height-adjustable side rollers, brush strips (6.903-	
								064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
Floor tool neutrally DN40	11	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm wor-	Н
•								king width. With height-adjustable side rollers, brush strips	
								(6.903-065.0) and oil-resistant squeegees (6.906-146.0).	-
Floor tool poutrolly DNOF	12	6.906-384.0	1 nines(s)	ID 35		370 mm		Only for NT vacuum cleaners.	H
Floor tool neutrally DN35	12	6.906-384.0	1 piece(s)	1D 35		370 111111		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips	
								(6.903-064.0) and oil-resistant squeegees (6.903-081.0).	
								Only for NT vacuum cleaners.	
Floor tool DN35	13	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working	_
								width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	
	14	6.907-408.0	1 piece(s)	ID 40		360 mm		squeegees (0.505 677.0). Only for 141 vacoum eleaners.	
Crevice nozzles									
Crevice nozzle DN35	15	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and	
	10	0.300 303.0					I .	I a second a	
								corners. Length: 210 mm.	H
Crevice nozzle	16	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and	
	16	6.900-922.0						Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	
Crevice nozzle Crevice nozzle DN40			1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and	
	16	6.900-922.0						Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.  Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.  Metal crevice tool (DN 40) for vacuuming in crevices and	
	16	6.900-922.0 6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.  Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	



























					1		1	
		Order Number	Quantity	ID	Length	Width	Price	Description
Suction tubes metal								
Suction tube DN35	20	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m),
								standard for virtually all single-motor industrial NT vacuum cleaners.
Suction tube	21	6.900-275.0	1 piece(s)	ID 40	0,5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m),
								standard for virtually all two-motor industrial vacuum clea-
								ners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.
Suction hoses complete (Clip-system	m)			1	1		1	
Suction hose C DN35	22	4.440-626.0	1 piece(s)	ID 35	2,5 m			2.5 m standard suction hose with bend, bayonet at vacuum
								end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT
								48/1.
Suction hose	23	4.440-653.0	1 piece(s)	ID 35	2,5 m			2.5 m electrically conductive suction hose with bend, bayo-
								net at vacuum end and C 35 clip connection at accessory end. Without module.
Suction hose electrically conduc-	24	6.907-363.0						Cita. Wallock models.
ting C40								
Nozzle sets Nozzles set DN35	25	2.860-116.0	1 piece(s)	ID 35	I			Nozzle kit for all NT vacuum cleaners with DN 35 accesso-
MOZZICS SCI DIVSS	23	2.000 110.0	1 piece(s)	10 33				ries includes crevice tool, upholstery tool, round brush (x3)
Membrane filter / fabric filter		,			,	,		
Membrane/fabric filter	26	6.906-103.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/
								Professional.
Special filter bags, wet filter bags								
Filter bag 5St. Kae.	27	6.904-211.0	5 piece(s)					Tear-resistant special/wet filter bag for dust class L, suitable
								for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.
Bend stainless								
Bend, stainless steel ID 35	28	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35
Bend metal	1 20	L C 000 E 10 0	1 minera(n)	LID OF	I	I	l	Debugt shrowing plated metal band (DN 25) can be used
Bend, DN 35, metal	29	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-
								112.0; C 35-DN 35, plastic, el.).
Car cleaning nozzles	1			1	ı	l	ı	
Car nozzle DN35	30	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.
Rubber tool								
Rubber nozzle, ID 40	31	4.763-057.0	1 piece(s)	40				Rubber.
Rubber suction tools, nose 45°	1			1	1		I	1
Rubber suction tools, nose 45°	32	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.
	33	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable
Padiates buseber								for vacuuming machines. Only for NT vacuum cleaners.
Radiator brushes Brush heating element	34	6.903-034.0	1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or
DI OSH HEALING CICHICILL	34	0.000 004.0	1 hiera(2)	רכ טו				6.905-240.0.
Combi-nozzles (dry)				_				
Combination floor tool (dry)	35	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic
								(272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.
	الطحلندي							2.222 .22 2.10 2.11 20 00.111000001.































					1			_
	Order Number	Quantity	ID	Length	Width	Price	Description	
36	6.906-639.0	1 piece(s)	ID 35		262 mm		Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners.	
				· ·				
37	6.900-929.0						plastic	
ı			1		ı			
_			_					
39	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	
			1 .					-
40	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	
ı			_					
41		1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	
42	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	
43	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	Г
44	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	
45	6.902-154.0	1 piece(s)	ID 35	0,5 m				
	,		_					
46	6.900-384.0	1 piece(s)	ID 35	0,5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	
47	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending suction tube from 0.5 m to 0.75 m length.	a
48	2.639-682.0	1 piece(s)	ID 35					ip 🗆
							system.	_
49	6.906-241.0	1 piece(s)	35	4 m			4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end	
50	6.906-275.0	1 piece(s)	35	2,5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connec-	
51	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connec-	
52	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	
			•					
53	4.440-287.0	1 piece(s)	ID 35	4 m			Standard, 4.0m, ID 35	
54	4.440-339.0	1 piece(s)	ID 35	2,5 m			Temperature-resistant to 120 °C.	
55	4.440-446.0	1 piece(s)	ID 27	3,5 m			adapter for power tools at accessory end and DN 27 bayo-	
56	4.440-461.0	1 piece(s)	ID 27	7 m			Electrically non-conductive suction hose (7 m) with DN 27	: [
	37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55	36 6.906-639.0  37 6.900-929.0  38 6.903-035.0  39 6.903-036.0  40 6.903-862.0  41 2.860-113.0  42 2.860-114.0  43 6.902-081.0  44 6.906-531.0  45 6.902-154.0  46 6.900-384.0  47 6.904-276.0  48 2.639-682.0  49 6.906-241.0  50 6.906-275.0  51 6.906-500.0  52 6.906-714.0  53 4.440-287.0  54 4.440-339.0  55 4.440-446.0	37   6.900-929.0   38   6.903-035.0   1 piece(s)   39   6.903-036.0   1 piece(s)   40   6.903-862.0   1 piece(s)   41   2.860-113.0   1 piece(s)   42   2.860-114.0   1 piece(s)   43   6.902-081.0   1 piece(s)   44   6.906-531.0   1 piece(s)   45   6.902-154.0   1 piece(s)   46   6.900-384.0   1 piece(s)   47   6.904-276.0   1 piece(s)   48   2.639-682.0   1 piece(s)   49   6.906-241.0   1 piece(s)   50   6.906-275.0   1 piece(s)   51   6.906-500.0   1 piece(s)   52   6.906-714.0   1 piece(s)   53   4.440-287.0   1 piece(s)   54   4.440-339.0   1 piece(s)   55   4.440-446.0   1 piece(s)   55   4.440-446.0   1 piece(s)	36 6.906-639.0 1 piece(s) ID 35  37 6.900-929.0	36 6.906-639.0 1 piece(s) ID 35  37 6.900-929.0	36 6.906-639.0 1 piece(s) ID 35 262 mm  37 6.900-929.0	36 6.906-639.0 1 piece(s) ID 35 262 mm  37 6.900-929.0	262 mm





























75	

						Ι	Τ		Т
		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction hose complete, ID 40, 4 m, el.	57	4.440-558.0	1 piece(s)	ID 40	4 m			Electrically conductive, DN 40, 4 m, non-interchangeable.	
Suction hose complete, DN 40, 8	58	4.440-815.0	1 piece(s)	ID 40	8 m			Electrically conductive, DN 40, 8 m, non-interchangeable.	
m, el. Suction hose complete B1 M L=8m	59	4.440-013.0							
Suction hose, complete	60	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	_
Suction hose complete, ID 40, 4 m, oil-resistant,	61	4.440-303.0	1 piece(s)	ID 40	4 m			Oil-resistant.	
Connecting sleeves									
Connecting sleeve, ID 27, el.	62	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conducitve.	
Adapter, DN 32/35, with internal thread	63	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. Fo connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	r
Extension hoses (Clip-system)								1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Extension hose, C 32, C 35 clip system	64	6.906-237.0	1 piece(s)	ID 32	2,5 m			Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.	
Extension hose, C 40	65	6.906-344.0	1 piece(s)	ID 40	2,5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	
Connecting sleeve C-DN (clip on tap	er), EL	(electroconducti	ve)						
C-ID 35 adapter	66	5.407-112.0	1 piece(s)	ID 35				Connects C 35 hose for ID 35, electrically conductive.	
Adapter for electric power tools, cli		I .							
Sleeve for tool C35EL	67	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	
Adapter for electric power tools, C 35, el.	68	5.453-048.0	1 piece(s)	ID 35				Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.	
Connecting sleeve for electric tool C 35, el.	69	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	
Adapter for electric power tools, C 35, el.	70	5.453-050.0	1 piece(s)	ID 35				Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.	
Connecting sleeve for electric tool C 35, el.	71	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	
Connecting sleeve for electric tools C 35, el.	72	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	
Adapter for electric power tools, so	rewab	le							
Adapter for electric power tools, screwable, ID 35	73	2.639-129.0	1 piece(s)	ID 35				Plastic, adaptable from ID 26-36.	
Power tool adapter, threaded, DN 35	74	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	' <sub>□</sub>
Adapter for electric power tools, screwable, ID 35	75	5.453-026.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.	
Power tool adapter, threaded, DN 35	76	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	
	77	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	
Reducer (tube -> nozzle)		1				1		1	
Reducer	78	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories wit DN 40 connecting cone.	











		Г	Г	T					
		Order Number	Quantity	ID	Length	Width	Price	Description	
Reducer from ID 35 to 32	79	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	
Set reducing / extension sleeves									
Set reducing / extension sleeves	80	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	
Other									
Drilling dust tool	81	2.679-000.0	1 piece(s)						
CS 40 Me	82	2.863-026.0	1 piece(s)						

<sup>■</sup> Included in delivery. 

□ Available accessories.









					Length			
		Order Number	Quantity	ID	/ width	Price	Description	
Other nozzles								
45° rubber suction nozzle	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	
Aluminium surface nozzle	2	4.130-415.0	1 piece(s)	ID 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	
Crevice tools								
Grout nozzle, synthetic	3	6.900-222.0	1 piece(s)	ID 61	370 × 64 mm		Grout nozzle, plastic, 370 mm	

<sup>■</sup> Included in delivery. 

Available accessories.