

# SAFETY DATA SHEET

## JANGRO PROFESSIONAL HEAVY DUTY CLEANER ODOURLESS

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	JANGRO PROFESSIONAL HEAVY DUTY CLEANER ODOURLESS	
Product number	800-112-0001	
Internal identification	BB003-5	
Container size	5L	
UFI	UFI: PCP2-12WR-FJ7E-KDMK	
1.2. Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	Detergent.	
1.3. Details of the supplier of the supplier of the supplier of the supplier of the supplication of the su	ne safety data sheet	
Supplier	Jangro Ltd	
	Jangro House	
	Worsely Road, Farnworth	
	Bolton, BL4 9LU	
	Tel. 01204 795955	
	Jangro Ltd Europe	
	6-9 Trinity Street, Dublin 2	
	D02 EY47	
	Ireland	
	Tel.016177911	
Contact person	For content of safety data sheet:, reception@jangrohq.net	
1.4. Emergency telephone nur	nber	
Emergency telephone	01204 795 955 (Jangro)	
National emergency telephone number	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture		
Classification (EC 1272/2008)		
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
Environmental hazards	Not Classified	
2.2. Label elements		

### Hazard pictograms

$\mathbf{v}$	

Signal word Hazard statements	Danger H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements	<ul> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P332+P313 If skin irritation occurs: Get medical advice/ attention.</li> <li>P362+P364 Take off contaminated clothing and wash it before reuse.</li> <li>P337+P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P280 Wear protective clothing and gloves.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>
Contains	ALCOHOLS, C12-14, ETHOXYLATED, C12-14-ALKYL ETHER SULFATES, DISODIUM METASILICATE
Detergent labelling	< 5% anionic surfactants, < 5% non-ionic surfactants, < 5% phosphates, < 5% polycarboxylates

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

ALCOHOLS, C12-14, ETHOXYLATED			1-5%
CAS number: 68439-50-9	EC number: 500-213-3	REACH registration number: 01- 2119487984-16-XXXX	
M factor (Acute) = 1			
Classification			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
Aquatic Chronic 3 - H412			
C12-14-ALKYL ETHER SULFATES			1-5%
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01- 2119488639-16-XXXX	
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Chronic 3 - H412			

for firefighters

# JANGRO PROFESSIONAL HEAVY DUTY CLEANER ODOURLESS

		4 50/
DISODIUM METASILICATE CAS number: 6834-92-0	EC number: 229-912-9	1-5% REACH registration number: 01-
CAS humber: 0034-92-0	EG Humber. 229-912-9	2119449811-37-XXXX
Classification	Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290	C;R34 Xi;R3	37
Skin Corr. 1B - H314 Eye Dam. 1 - H318		
STOT SE 3 - H335		
The Full Text for all R-Phrases	and Hazard Statements are Displayed in Sec	ction 16.
SECTION 4: First aid measure	25	
4.1. Description of first aid mea	asures	
General information	Provide eyewash station.	
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.	
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.	
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	Provide eyewash station.	
Skin contact	Prolonged contact may cause redness, irritation and dry skin.	
Eye contact		blonged or repeated exposure may cause the ess, followed by blurred vision. Corneal damage.
4.3. Indication of any immedia	te medical attention and special treatment nee	eded
Notes for the doctor	No specific recommendations.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extine Foam, carbon dioxide or dry powder.	guishing media suitable for the surrounding fire.
5.2. Special hazards arising fro	om the substance or mixture	
Hazardous combustion products	Thermal decomposition or combustion produced of carbon. Toxic gases or vapours.	ucts may include the following substances: Oxide
5.3. Advice for firefighters		
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.	
Special protective equipment	Wear positive-pressure self-contained breat	hing apparatus (SCBA) and appropriate protectiv

clothing.

SECTION 6: Accidental relea	se measures	
6.1. Personal precautions, pro	otective equipment and emergency procedures	
Personal precautions	For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.	
6.2. Environmental precaution		
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for	r containment and cleaning up	
Methods for cleaning up	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
6.4. Reference to other section	ons	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.	
SECTION 7: Handling and sto	orage	
7.1. Precautions for safe hand	dling	
Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.	
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.	
7.2. Conditions for safe storage	ge, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure contro	ols/Personal protection	
8.1. Control parameters		
	ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)	
DNEL	Workers - Inhalation; Long term systemic effects: 294 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 2080 mg/kg/day General population - Inhalation; Long term systemic effects: 87 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day	
PNEC	- Fresh water; 0.0437 mg/l - Intermittent release; 0.004 mg/l - STP; 10 mg/l - Sediment (Freshwater); 31 mg/kg - Sediment (Marinewater); 31 mg/kg - Soil; 1 mg/kg	

### C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL	Workers - Inhalation; Long term systemic effects: 175 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m <sup>3</sup> Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day	
PNEC	<ul> <li>Fresh water; 0.24 mg/l</li> <li>marine water; 0.024 mg/l</li> <li>Intermittent release; 0.071 mg/l</li> <li>Sediment, Fresh water; 0.917 mg/kg</li> <li>Sediment, marine water; 0.092 mg/kg</li> <li>Soil; 7.5 mg/kg</li> <li>STP; 10,000 mg/l</li> </ul>	
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	Provide adequate ventilation.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, gloves should comply with European Standard EN374.	
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.	
Hygiene measures	When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.	
Respiratory protection	Respiratory protection not required.	
Environmental exposure controls	Avoid releasing into the environment.	

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Colourless to pale yellow.	
Odour	Unperfumed.	
рН	pH (concentrated solution): 12.5 - 13.6	

Relative density	~ 1.060	
Solubility(ies)	Soluble in water.	
Explosive under the influence of a flame	Not considered to be explosive.	
Comments	Information given is applicable to the product as supplied.	
9.2. Other information		
Other information	Not relevant.	
SECTION 10: Stability and rea	ctivity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not applicable.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decompositio	n products	
Hazardous decomposition products	No known hazardous decomposition products.	
SECTION 11: Toxicological information		
11.1. Information on toxicologi	cal effects	
Toxicological effects	Information given is based on data of the components and of similar products.	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation LC $_{50}$ )	Based on available data the classification criteria are not met.	
	Dased on available data the classification chena are not met.	
Skin corrosion/irritation Skin corrosion/irritation	Causes skin irritation. Calculation method.	
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye damage. Calculation method.	
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.	

Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.
Carcinogenicity Carcinogenicity	Does not contain any substances known to be carcinogenic.
Reproductive toxicity Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	This product has low toxicity.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.
Eye contact	Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.

### Toxicological information on ingredients.

### ALCOHOLS, C12-14, ETHOXYLATED

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	2,000.1
Species	Rat
Notes (oral LD₅₀)	Based on available data the classification criteria are not met. REACH dossier information.
ATE oral (mg/kg)	2,000.1
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	2,000.1
Species	Rat
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met. REACH dossier information.
ATE dermal (mg/kg)	2,000.1
Acute toxicity - inhalation	

	Notes (inhalation $LC_{50}$ )	Based on available data the classification criteria are not met. REACH dossier information.
	Skin corrosion/irritation	
	Skin corrosion/irritation	Based on available data the classification criteria are not met. REACH dossier information.
	Serious eye damage/irritation	
	Serious eye damage/irritation	Causes serious eye damage.
	Respiratory sensitisation	
	Respiratory sensitisation	No information available.
	Skin sensitisation	
	Skin sensitisation	Based on available data the classification criteria are not met. REACH dossier information.
	Germ cell mutagenicity	
	Genotoxicity - in vitro	This substance has no evidence of mutagenic properties.
	Reproductive toxicity	
	Reproductive toxicity - fertility	Based on available data the classification criteria are not met. REACH dossier information.
	Specific target organ toxicity - single exposureSTOT - single exposureNot classified as a specific target organ toxicant after a single exposure.Specific target organ toxicity - repeated exposure	
	STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
		C12-14-ALKYL ETHER SULFATES
	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	4,100.0
	Species	Rat
	ATE oral (mg/kg)	4,100.0
	Acute toxicity - dermal	
	Acute toxicity dermal (LD₅₀ mg/kg)	2,001.0
	Species	Rat
	ATE dermal (mg/kg)	2,001.0
SECTION 12	2: Ecological information	
Ecotoxicity	There are environm	e no data on the ecotoxicity of this product. Not regarded as dangerous for the nent.

12.1. Toxicity

- Toxicity Not considered toxic to fish.
- Ecological information on ingredients.

### ALCOHOLS, C12-14, ETHOXYLATED

	Acute aquatic toxicity		
	LE(C)₅₀	$0.1 < L(E)C50 \le 1$	
	M factor (Acute)	1	
	Acute toxicity - fish	LC₅₀, 96 hours: 0.876 mg/l, Fish REACH dossier information.	
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 0.39 mg/l, Daphnia magna REACH dossier information.	
	Chronic aquatic toxicity		
	Chronic toxicity - fish early life stage	EC <sub>20</sub> , 30 days: 1.09 mg/l, Pimephales promelas (Fat-head Minnow) REACH dossier information.	
	Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.77 mg/l, Daphnia magna	
C12-14-ALKYL ETHER SULFATES			
	Acute aquatic toxicity		
	Acute toxicity - fish	LC₅₀, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information.	
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 7.2 mg/l, Daphnia magna REACH dossier information.	
	Chronic aquatic toxicity		
	Chronic toxicity - fish early life stage	NOEC, 28 days: 0.14 mg/l, Oncorhynchus mykiss (Rainbow trout) REACH dossier information.	
	Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.27 mg/l, Daphnia magna REACH dossier information.	
12.2. Persistence and degradability			
product complies(comply) with the No. 648/2004 on detergents. Data competent authorities of the Mem		The no data on the degradability of this product. The surfactant(s) contained in this complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 2004 on detergents. Data to support this assertion are held at the disposal of the ent authorities of the Member States and will be made available to them at their direct or at the request of a detergent manufacturer.	
Ecological information on ingredients.			
		ALCOHOLS, C12-14, ETHOXYLATED	
	Biodegradation	The substance is readily biodegradable. REACH dossier information.	
C12-14-ALKYL ETHER SULFATES			
	Biodegradation	Expected to be readily biodegradable. Water - Degradation 100%: 28 days REACH dossier information.	
12.3. Bioaccumulative potential			

Bioaccumulative potential No data available on bioaccumulation.

Ecological information on ingredients. ALCOHOLS, C12-14, ETHOXYLATED Bioaccumulative potential No potential for bioaccumulation. C12-14-ALKYL ETHER SULFATES **Bioaccumulative potential** The product is not bioaccumulating. Partition coefficient log Pow: ~ 0.3 REACH dossier information. 12.4. Mobility in soil Mobility The product is water-soluble and may spread in water systems. Ecological information on ingredients. ALCOHOLS, C12-14, ETHOXYLATED Adsorption/desorption - Log Koc: 3.7-4.5 @ °C REACH dossier information. coefficient **C12-14-ALKYL ETHER SULFATES** Mobility The product is soluble in water. Adsorption/desorption - Log Koc: 0.34 @ °F coefficient 12.5. Results of PBT and vPvB assessment Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment Ecological information on ingredients. ALCOHOLS, C12-14, ETHOXYLATED Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria. assessment **C12-14-ALKYL ETHER SULFATES** This substance is not classified as PBT or vPvB according to current EU criteria. Results of PBT and vPvB assessment 12.6. Other adverse effects Other adverse effects None known. SECTION 13: Disposal considerations 13.1. Waste treatment methods General information Do not discharge into drains or watercourses or onto the ground. **Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible. SECTION 14: Transport information

#### General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

### Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 EU legislation December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments. Commission Regulation (EU) No 2015/830 of 28 May 2015. Guidance Workplace Exposure Limits EH40. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. COSHH Essentials. Technical Guidance WM2: Hazardous Waste.

#### 15.2. Chemical safety assessment

No information available.

SECTION 16: Other information		
Abbreviations and acronyms used in the safety data sheet	<ul> <li>DNEL: Derived No Effect Level.</li> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>PNEC: Predicted No Effect Concentration.</li> <li>MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.</li> </ul>	
Revision comments	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.	
Revision date	28/01/2021	
Revision	1	
SDS number	22396	
Risk phrases in full	R34 Causes burns. R36 Irritating to eyes. R37 Irritating to respiratory system. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.	
Hazard statements in full	<ul> <li>H290 May be corrosive to metals.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H318 Causes serious eye damage.</li> <li>H335 May cause respiratory irritation.</li> <li>H400 Very toxic to aquatic life.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.