

## SAFETY DATA SHEET Jangro - Enviro - CLEANER & DEGREASER UNPERFUMED

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	Jangro - Enviro - CLEANER & DEGREASER UNPERFUMED		
Product number	A029 JA		
Internal identification	BF050-5		
1.2. Relevant identified uses of	1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Heavy Duty Multi-Purpose Cleaner & Degreaser		
1.3. Details of the supplier of	the safety data sheet		
Supplier			
	Jangro Limited		
	Jangro House		
	Worsley Road Farnworth		
	Bolton. UK		
	BL4 9LU		
	TeL: 01204 795 955		
	Fax: 01204 579 499		
	enquiries@jangrohq.net		
1.4. Emergency telephone nu	mber		
Emergency telephone	mber 01772 318 818 - 8.30am to 4.45pm - Mon to Fri		
	01772 318 818 - 8.30am to 4.45pm - Mon to Fri		
Emergency telephone	01772 318 818 - 8.30am to 4.45pm - Mon to Fri		
Emergency telephone SECTION 2: Hazards identific	01772 318 818 - 8.30am to 4.45pm - Mon to Fri cation tance or mixture		
Emergency telephone SECTION 2: Hazards identific 2.1. Classification of the subs	01772 318 818 - 8.30am to 4.45pm - Mon to Fri cation tance or mixture		
Emergency telephone SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008)	01772 318 818 - 8.30am to 4.45pm - Mon to Fri cation tance or mixture		
Emergency telephone SECTION 2: Hazards identifie 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards	01772 318 818 - 8.30am to 4.45pm - Mon to Fri cation tance or mixture Not Classified		
Emergency telephone SECTION 2: Hazards identific 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards	01772 318 818 - 8.30am to 4.45pm - Mon to Fri cation tance or mixture Not Classified Skin Corr. 1B - H314 Eye Dam. 1 - H318		
Emergency telephone SECTION 2: Hazards identific 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards	01772 318 818 - 8.30am to 4.45pm - Mon to Fri cation tance or mixture Not Classified Skin Corr. 1B - H314 Eye Dam. 1 - H318		
Emergency telephone SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	01772 318 818 - 8.30am to 4.45pm - Mon to Fri cation tance or mixture Not Classified Skin Corr. 1B - H314 Eye Dam. 1 - H318		
Emergency telephone SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	01772 318 818 - 8.30am to 4.45pm - Mon to Fri cation tance or mixture Not Classified Skin Corr. 1B - H314 Eye Dam. 1 - H318		
Emergency telephone SECTION 2: Hazards identific 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements Pictogram	01772 318 818 - 8.30am to 4.45pm - Mon to Fri aation tance or mixture Not Classified Skin Corr. 1B - H314 Eye Dam. 1 - H318 Not Classified		

Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P260 Do not breathe spray.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water/ shower.</li> <li>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P315 Get immediate medical advice/ attention.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>
Contains	SODIUM METASILICATE, SODIUM HYDROXIDE

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

SODIUM DODECYL BENZENE SULPHONATE		3-5%
CAS number: 68411-30-3	EC number: 270-115-0	
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Chronic 3 - H412		
SODIUM METASILICATE		3-5%
CAS number: —		0.070
Classification		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
		0.5%
2-BUTOXYETHANOL		3-5%
CAS number: 111-76-2	EC number: 203-905-0	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
		0.5%
SODIUM CUMENE SULPHONATE		3-5%
CAS number: 15763-76-5	EC number: 239-854-6	
Classification		
Eye Irrit. 2 - H319		

SODIUM HYDROXIDE		0.1-1%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01- 2119457892-27-xxxx
Spec Conc Limits :- Skin Corr. 1. Irrit. 2 (H319) >=0.5% <2%	A (H314) >= 5 %, Skin Corr. 1B (H314) >=	=2% <5 %, Skin Irrit. 2 (H315) >=0.5%<2%, Eye
Classification		
Met. Corr. 1 - H290		
Skin Corr. 1A - H314		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

Eye Dam. 1 - H318

4.1. Description of first aid measures		
Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.	
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately.	
Skin contact	Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Irritation of nose, throat and airway.	
Ingestion	May cause chemical burns in mouth and throat.	
Skin contact	Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.	
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.	
5.3. Advice for firefighters		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	

SECTION 6: Accidental release	SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures			
Personal precautions	Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.		
6.2. Environmental precaution	<u>er</u>		
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.		
6.3. Methods and material for	6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.		
6.4. Reference to other sections			
Reference to other sections	For personal protection, see Section 8.		
SECTION 7: Handling and storage			
7.1. Precautions for safe hand	dling		
Usage precautions	Wear protective clothing, gloves, eye and face protection.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage precautions	Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
Usage description	See Product Information Sheet & Label for detailed use of this product.		
SECTION 8: Exposure Controls/personal protection			

#### 8.1. Control parameters

Occupational exposure limits

#### 2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m<sup>3</sup> Sk

### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup> WEL = Workplace Exposure Limit Sk = Can be absorbed through skin.

#### 8.2. Exposure controls

#### Protective equipment



Appropriate engineering controls

Not relevant.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield.

Hand protection	Wear protective gloves. (Household rubber gloves.)
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Respiratory protection	Respiratory protection not required.
SECTION 9: Physical and Che	emical Properties
9.1. Information on basic phys	sical and chemical properties
Appearance	Liquid.
Colour	Clear. Pale Straw.
Odour	Faint Solvent.
рН	pH (concentrated solution): 13.45
Melting point	-2°C
Initial boiling point and range	102°C @ 760 mm Hg
Flash point	Boils without flashing.
Relative density	1.084 @ 20°C
Solubility(ies)	Soluble in water.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	Reactions with the following materials may generate heat: Strong acids.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	Strong acids. Aluminium, Tin, Zinc and their alloys.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	No known hazardous decomposition products.
SECTION 11: Toxicological in	formation
11.1. Information on toxicological effects	

#### 11.1. Information on toxicological effects

Toxicological effectsWe have not carried out any animal testing for this product. Any ATE figures quoted below are<br/>from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate)<br/>Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Acute toxicity - oral

Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	14,391.37
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	27,312.72
Acute toxicity - inhalation	
Notes (inhalation LC <sub>50</sub> )	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	275.58
SECTION 12: Ecological Inform	nation
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.
12.2. Persistence and degrada	ability
Persistence and degradability	Sequestrant is readily degraded during biological effluent treatment processes.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	
Mobility	Not known.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	<u>s</u>
Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved
	waste contractor. Rinse out empty container with water and consign to normal waste.
SECTION 14: Transport inform	waste contractor. Rinse out empty container with water and consign to normal waste.
SECTION 14: Transport inform	waste contractor. Rinse out empty container with water and consign to normal waste.
	waste contractor. Rinse out empty container with water and consign to normal waste.
14.1. UN number	waste contractor. Rinse out empty container with water and consign to normal waste.
14.1. UN number UN No. (ADR/RID)	waste contractor. Rinse out empty container with water and consign to normal waste. nation 3266
<u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG)	waste contractor. Rinse out empty container with water and consign to normal waste.          nation         3266         3266         3266         3266
<u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO)	waste contractor. Rinse out empty container with water and consign to normal waste.          nation         3266         3266         3266         3266

Proper shipping name (IMDG)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)
Proper shipping name (ICAO)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)
14.3. Transport hazard class(e	s <u>)</u>
ADR/RID class	Class 8: Corrosive substance.
ADR/RID label	8
IMDG class	Class 8: Corrosive substances.
ICAO class/division	Class 8: Corrosive substances.
Transport labels	
14.4. Packing group	
ADR/RID packing group	П
IMDG packing group	П
ICAO packing group	П
14.5. Environmental hazards	
Environmentally hazardous sul No.	ostance/marine pollutant
14.6. Special precautions for u	ser
EmS	F-A, S-B
Tunnel restriction code	(E)
14.7. Transport in bulk accordi	ng to Annex II of MARPOL and the IBC Code
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not relevant. for a packaged product.
SECTION 15: Regulatory infor	mation
15.1. Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture
EU legislation	Safety Data Sheet prepared in accordance with REACH Commission Regulation (

 slation
 Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No

 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006).

 The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification,

 labelling & packaging of substances & mixtures.

 Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008

 classification, labelling & packaging of substances & mixtures.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</li> <li>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.</li> <li>GHS: Globally Harmonized System.</li> <li>Spec Conc Limits = Specific Concentration Limits.</li> </ul>
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Met. Corr. = Corrosive to metals Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to Regulation (EC) 1272/2008	Calculation Method.
Revision comments	Safety Data Sheet amended in accordance with REACH Commission Regulation (EU) No 2015/830 amendment. (Changes to Sections 2,3,15&16)
Revision date	01/08/2017
Revision	6
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	<ul> <li>H290 May be corrosive to metals.</li> <li>H302 Harmful if swallowed.</li> <li>H312 Harmful in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H332 Harmful if inhaled.</li> </ul>