

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Trade name : GRILL & OVEN CLEANER
 Product code : XGOC
 UFI Number : AXDM-D0TP-S001-38WU
 Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
 Industrial/Professional use spec : For professional use only
 Use of the substance/mixture : Spray on cleaner for grills and ovens

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Bio-Productions
 72 Victoria Road
 Burgess Hill - United Kingdom
 T 0044 (0) 1444 244000 - F 0044 (0) 1444 244999
technical@bio-productions.com - www.bio-productions.com

1.4. Emergency telephone number

Emergency number : 0044 (0) 1444 244000 (office hours only)

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|-----------------------------------|---|---------|
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital, Guy's & St Thomas' Hospital Trust | Dudley Road B18 7QH Birmingham | 0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours) | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1A H314

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger
 Hazardous ingredients : sodium hydroxide, caustic soda
 Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage
 Precautionary statements (CLP) : P102 - Keep out of reach of children
 P260 - Do not breathe fume, gas, mist, spray, vapours
 P264 - Wash hands, forearms and face thoroughly after handling
 P280 - Wear protective gloves, protective clothing, eye protection, face protection
 P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
 P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
 P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

GRILL & OVEN CLEANER

Safety Data Sheet

according to Regulation (EU) 2015/830

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P301+P310 – IF SWALLOWED: Immediately call a POISON CENTER, a doctor

P501 - Dispose of contents/container to an approved waste disposal plant

Detergent Regulation: Labelling of contents

Contains: Anionic surfactants <5%
Non-ionic surfactants <5%

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|-------|---|
| 2-butoxyethanol, ethylene glycol monobutyl ether, butyl cellosolve | (CAS No) 111-76-2 (EC no) 203-905-0 (EC index no) 603-014-00-0 (REACH-no) 01-2119475108-36 | 3 - 5 | Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 |
| sodium hydroxide, caustic soda | (CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6 (REACH-no) 01-2119457892-27 | 1 - 3 | Met. Corr. 1, H290 Skin Corr. 1A, H314 |
| ALCOHOLS C12 - 14 (7 - 7.5 EO) | (CAS No) 68439-50-9 | 1 - 3 | Eye Dam. 1, H318 Aquatic Chronic 3, H412 |
| DISODIUM LAURIMINODIPROPIONATE | (CAS No) 3655-00-3 (EC no) 222-899-0 | 1 - 3 | Eye Irrit. 2, H319 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|--------------------------------|--|--|
| sodium hydroxide, caustic soda | (CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6 (REACH-no) 01-2119457892-27 | (0.5 =<C < 2) Skin Irrit. 2, H315 (0.5 =<C < 2) Eye Irrit. 2, H319 (2 =<C < 5) Skin Corr. 1B, H314 (C >= 5) Skin Corr. 1A, H314 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Call a physician immediately. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| First-aid measures after ingestion | : Rinse mouth. Do not induce vomiting. Call a physician immediately. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------------------------------|---------------------------|
| Symptoms/injuries after skin contact | : Burns. |
| Symptoms/injuries after eye contact | : Serious damage to eyes. |
| Symptoms/injuries after ingestion | : Burns. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|---|
| Suitable extinguishing media | : The product is not flammable. Use extinguishing agent suitable for surrounding fire. Foam. Water spray. Dry powder. Carbon dioxide. |
|------------------------------|---|

GRILL & OVEN CLEANER

Safety Data Sheet

according to Regulation (EU) 2015/830

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe fume, gas, mist, spray, vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe fume, gas, mist, spray, vapours. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| sodium hydroxide, caustic soda (1310-73-2) | | |
|--|---------------------------------|---|
| United Kingdom | Local name | Sodium hydroxide |
| United Kingdom | WEL STEL (mg/m ³) | 2 mg/m ³ |
| 2-butoxyethanol, ethylene glycol monobutyl ether, butyl cellosolve (111-76-2) | | |
| EU | Local name | 2-Butoxyethanol |
| EU | IOELV TWA (mg/m ³) | 98 mg/m ³ |
| EU | IOELV TWA (ppm) | 20 ppm |
| EU | IOELV STEL (mg/m ³) | 246 mg/m ³ |
| EU | IOELV STEL (ppm) | 50 ppm |
| EU | Notes | Skin |
| United Kingdom | Local name | 2-Butoxyethanol |
| United Kingdom | WEL TWA (mg/m ³) | 123 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 25 ppm |
| United Kingdom | WEL STEL (mg/m ³) | 246 mg/m ³ |
| United Kingdom | WEL STEL (ppm) | 50 ppm |
| United Kingdom | Remark (WEL) | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) |

GRILL & OVEN CLEANER

Safety Data Sheet

according to Regulation (EU) 2015/830

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Liquid |
| Colour | : red. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| pH | : 13 - 13.5 |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : ≈ 0 |
| Boiling point | : > 100 °C |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : ≈ 1.1 g/ml |
| Solubility | : Soluble in water. |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

GRILL & OVEN CLEANER

Safety Data Sheet

according to Regulation (EU) 2015/830

10.5. Incompatible materials

acids. Do not mix with other bleaching agents. May be corrosive to metals.

10.6. Hazardous decomposition products

On burning: release of carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

2-butoxyethanol, ethylene glycol monobutyl ether, butyl cellosolve (111-76-2)

| | |
|---|-----------------------|
| LD50 oral rat | 1300 mg/kg |
| LD50 oral | 1746 mg/kg bodyweight |
| LD50 dermal | 435 mg/kg bodyweight |
| LC50 inhalation rat (mg/l) | 2.21 mg/l/4h |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | 2200 mg/l/4h |

ALCOHOLS C12 - 14 (7 - 7.5 EO) (68439-50-9)

| | |
|--------------------|--------------|
| LD50 oral rat | > 2000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 13 - 13.5

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 13 - 13.5

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

sodium hydroxide, caustic soda (1310-73-2)

| | |
|--------------------------------|---------------------------------|
| LC50 fish 1 | 125 mg/l |
| EC50 other aquatic organisms 1 | > 33 mg/l EC50 waterflea (48 h) |

2-butoxyethanol, ethylene glycol monobutyl ether, butyl cellosolve (111-76-2)

| | |
|--------------------------------|---------------------------------|
| LC50 fish 1 | 1474 mg/l |
| EC50 Daphnia 1 | 1550 mg/l |
| EC50 other aquatic organisms 1 | 1550 mg/l EC50 waterflea (48 h) |
| EC50 other aquatic organisms 2 | 911 mg/l IC50 algae (72 h) mg/l |

12.2. Persistence and degradability

GRILL & OVEN CLEANER

| | |
|-------------------------------|---|
| Persistence and degradability | The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. |
|-------------------------------|---|

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

The product does not meet the PBT and vPvB classification criteria

GRILL & OVEN CLEANER

Safety Data Sheet

according to Regulation (EU) 2015/830

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

| | |
|---------------|--------|
| UN-No. (ADR) | : 1824 |
| UN-No. (IMDG) | : 1824 |
| UN-No. (IATA) | : 1824 |
| UN-No. (ADN) | : 1824 |
| UN-No. (RID) | : 1824 |

14.2. UN proper shipping name

| | |
|---------------------------------------|--|
| Proper Shipping Name (ADR) | : SODIUM HYDROXIDE SOLUTION (<5%) |
| Proper Shipping Name (IMDG) | : SODIUM HYDROXIDE SOLUTION (<5%) |
| Proper Shipping Name (IATA) | : SODIUM HYDROXIDE SOLUTION (<5%) |
| Proper Shipping Name (ADN) | : SODIUM HYDROXIDE SOLUTION (<5%) |
| Proper Shipping Name (RID) | : SODIUM HYDROXIDE SOLUTION (<5%) |
| Transport document description (ADR) | : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III, (E) |
| Transport document description (IMDG) | : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III |
| Transport document description (IATA) | : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III |
| Transport document description (ADN) | : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III |
| Transport document description (RID) | : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III |

14.3. Transport hazard class(es)

ADR

| | |
|----------------------------------|-----|
| Transport hazard class(es) (ADR) | : 8 |
| Danger labels (ADR) | : 8 |



IMDG

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IMDG) | : 8 |
| Danger labels (IMDG) | : 8 |



IATA

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IATA) | : 8 |
| Hazard labels (IATA) | : 8 |



ADN

| | |
|----------------------------------|-----|
| Transport hazard class(es) (ADN) | : 8 |
|----------------------------------|-----|

GRILL & OVEN CLEANER

Safety Data Sheet

according to Regulation (EU) 2015/830

Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C5

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions (ADR) : TP1

Tank code (ADR) : L4BN


Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Hazard identification number (Kemler No.) : 80

Orange plates :



Tunnel restriction code (ADR) : E

EAC code : 2R

- Transport by sea

Special provisions (IMDG) : 223

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

IBC packing instructions (IMDG) : IBC03

GRILL & OVEN CLEANER

Safety Data Sheet

according to Regulation (EU) 2015/830

| | |
|--------------------------------|--------|
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP1 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-B |
| Stowage category (IMDG) | : A |
| Segregation (IMDG) | : SG35 |

- Air transport

| | |
|--|--------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y841 |
| PCA limited quantity max net quantity (IATA) | : 1L |
| PCA packing instructions (IATA) | : 852 |
| PCA max net quantity (IATA) | : 5L |
| CAO packing instructions (IATA) | : 856 |
| CAO max net quantity (IATA) | : 60L |
| Special provisions (IATA) | : A3 |
| ERG code (IATA) | : 8L |

- Inland waterway transport

| | |
|-----------------------------------|----------|
| Classification code (ADN) | : C5 |
| Limited quantities (ADN) | : 5 L |
| Excepted quantities (ADN) | : E1 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP, EP |
| Number of blue cones/lights (ADN) | : 0 |

- Rail transport

| | |
|---|---------------------------|
| Classification code (RID) | : C5 |
| Limited quantities (RID) | : 5L |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (RID) | : MP19 |
| Portable tank and bulk container instructions (RID) | : T4 |
| Portable tank and bulk container special provisions (RID) | : TP1 |
| Tank codes for RID tanks (RID) | : L4BN |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Colis express (express parcels) (RID) | : CE8 |
| Hazard identification number (RID) | : 80 |

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

GRILL & OVEN CLEANER

Safety Data Sheet

according to Regulation (EU) 2015/830

Changes from Previous version:

- UFI number added in section 1.1
- P-Statements added in Section 2.2

Abbreviations and acronyms:

| | |
|-------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| EC50 | Median effective concentration |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| PBT | Persistent Bioaccumulative Toxic |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rai |
| SDS | Safety Data Sheet |
| vPvB | Very Persistent and Very Bioaccumulative |

Full text of H- and EUH-statements:

| | |
|----------------------------------|---|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Met. Corr. 1 | Corrosive to metals, Category 1 |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1A |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| H290 | May be corrosive to metals |
| H302 | Harmful if swallowed |
| H311 | Toxic in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H331 | Toxic if inhaled |
| H412 | Harmful to aquatic life with long lasting effects |

SDS EU (Reach Annex II) GREEN

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product