

MULTI PURPOSE SPRAY PLUS

Page: 1

Compilation date: 23/08/2005

Revision date: 22/12/2015

Revision No: 6

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: MULTI PURPOSE SPRAY PLUS

Product code: MPS500

Synonyms: MPS500

000769050064

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Specialised Aerosols Company Limited

Carr Green Lane Mapplewell

Barnsley

South Yorkshire

S75 6DY

Tel: 01226 387101

Fax: 01226 387100

Email: sales@specialised-aerosols.co.uk

1.4. Emergency telephone number

Emergency tel: 07836317118

Section 2: Hazards identification

2.1. Classification of the substance or mixture

| Classification under CLP: | Skin Irrit. 2: H315; STOT SE 3: H336; Aquatic Chronic 3: H412; Flam. Aerosol 1: H222; -: |
|---------------------------------|---|
| | H229 |
| Most important adverse effects: | Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin |
| | irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. |

2.2. Label elements

| Label elements: | |
|--------------------|--|
| Hazard statements: | H222: Extremely flammable aerosol. |
| | H229: Pressurised container: May burst if heated |
| | H315: Causes skin irritation. |
| | H336: May cause drowsiness or dizziness. |
| | H412: Harmful to aquatic life with long lasting effects. |
| Signal words: | Danger |

MULTI PURPOSE SPRAY PLUS

Page: 2

Hazard pictograms:
GHS02: Flame

GHS07: Exclamation mark
Image: Comparison of the text of tex of text of text of text of tex of text of

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPANE

| r | 1 | | | | |
|--|------------|--|---|---------|--|
| EINECS | CAS | PBT / WEL | CLP Classification | Percent | |
| 200-827-9 | 74-98-6 | Substance with a Community workplace exposure limit. | Flam. Gas 1: H220; Press. Gas: H280 | 10-30% | |
| LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDROTREATED HEAVY | | | | | |
| 265-150-3 | 64742-48-9 | - | Asp. Tox. 1: H304; Flam. Liq. 3: H226 | 10-30% | |
| LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDROTREATED LIGHT | | | | | |
| 265-151-9 | 64742-49-0 | - | Asp. Tox. 1: H304; Flam. Liq. 1: H224; Skin Irrit. 2: H315; Aquatic Chronic 2: H411 | 1-10% | |
| BUTANE | | | | | |
| 203-448-7 | 106-97-8 | Substance with a Community | Flam. Gas 1: H220; Press. Gas: H280 | 1-10% | |

BASEOIL - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC

workplace exposure limit.

| 265-155-0 64742-52-5 | 1-10% |
|----------------------|-------|
|----------------------|-------|

MULTI PURPOSE SPRAY PLUS

3

| | | | Page |
|---|----------------|--|--------------|
| ISOBUTANE | | | |
| 200-857-2 | 75-28-5 | Substance with a Community workplace exposure limit.Flam. Gas 1: H220; Press. Gas: H280 | 1-10% |
| SODIUM SULF | ONATE - REA | ACH registered number(s): 01-21195227859-22 | |
| 271-781-5 | 68608-26-4 | - Eye Irrit. 2: H319 | 1-10% |
| tion 4: First ai | d measures | 5 | |
| .1. Description (| of first aid m | easures | |
| 4.1. Description of first aid measures | | | |
| Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash | | | |
| immediately with plenty of soap and water. Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor. | | | |
| Ingestion: Wash out mouth with water. Consult a doctor. | | | |
| Indestion: wash out mouth with water. Consult a doctor. | | | |
| 4.2. Most important symptoms and effects, both acute and delayed | | | |
| | | | |
| SI | kin contact: | There may be irritation and redness at the site of contact. | |
| E | ye contact: | There may be irritation and redness. The eyes may water profusely. | |
| | Ingestion: | There may be soreness and redness of the mouth and throat. | |
| | Inhalation: | There may be irritation of the throat with a feeling of tightness in the chest. Expos | ure may |
| | | cause coughing or wheezing. | |
| elayed / immedi | iate effects: | Immediate effects can be expected after short-term exposure. | |
| .3. Indication of | any immedi | ate medical attention and special treatment needed | |
| nmediate / special treatment: Eye bathing equipment should be available on the premises. | | | |
| tion 5: Fire-fig | hting meas | sures | |
| .1. Extinguishing | g media | | |
| Extinguis | hing modia: | Suitable extinguishing media for the surrounding fire should be used. Use water s | prov to coo |
| Extinguisi | ing media. | containers. | spray to coo |
| 2 Special hora | rdo origina f | rom the substance or mixture | |
| - | | | |
| | | In combustion emits toxic fumes. | |
| .3. Advice for fir | e-fighters | | |
| Advice for fi | ire-fighters: | Wear self-contained breathing apparatus. Wear protective clothing to prevent cor | ntact with |
| | | skin and eyes. | |
| | ntal ralaass | e measures | |
| tion 6: Accide | intal release | | |
| | | | |
| | | otective equipment and emergency procedures | |
| .1. Personal pre | cautions, pr | otective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approa | ch from |

MULTI PURPOSE SPRAY PLUS

contaminated area with signs and prevent access to unauthorised personnel. Turn leaking

containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do

not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPANE

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|------------|--------------|------------|--------------|
| UK | 1800 mg/m3 | 7200 mg/m3 | - | |
| JTANE | | | | |
| UK | 1450 mg/m3 | 1810 mg/m3 | - | |

| | | UK | 2400 mg/m3 | 9600 mg/m3 | - | - |
|--|--|----|------------|------------|---|---|
|--|--|----|------------|------------|---|---|

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

MULTI PURPOSE SPRAY PLUS

Page: 5 Hand protection: Protective gloves. Eye protection: Safety glasses. Ensure eye bath is to hand. Skin protection: Protective clothing. Section 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Aerosol Colour: Off-white Odour: Characteristic odour Oxidising: Non-oxidising (by EC criteria) Solubility in water: Insoluble Flammability limits %: lower: 0.8 upper: 9.0 Flash point°C: -10 9.2. Other information Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

MULTI PURPOSE SPRAY PLUS

Page: 6

Relevant hazards for substance:

| Hazard | Route | Basis |
|---------------------------|-------|-----------------------|
| Skin corrosion/irritation | DRM | Hazardous: calculated |
| STOT-single exposure | - | Hazardous: calculated |

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Empty containers must not be burned because of explosion hazard.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1950

MULTI PURPOSE SPRAY PLUS

14.2. UN proper shipping name

Shipping name: AEROSOLS

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

| Other information | |
|------------------------------|---|
| Other information: | This safety data sheet is prepared in accordance with Commission Regulation (EU) No |
| | 453/2010. |
| | * indicates text in the SDS which has changed since the last revision. |
| Phrases used in s.2 and s.3: | H220: Extremely flammable gas. |
| | H222: Extremely flammable aerosol. |
| | H224: Extremely flammable liquid and vapour. |
| | H226: Flammable liquid and vapour. |
| | H229: Pressurised container: May burst if heated |
| | H304: May be fatal if swallowed and enters airways. |
| | H315: Causes skin irritation. |
| | H319: Causes serious eye irritation. |
| | H336: May cause drowsiness or dizziness. |
| | H411: Toxic to aquatic life with long lasting effects. |
| | H412: Harmful to aquatic life with long lasting effects. |
| Legal disclaimer: | The above information is believed to be correct but does not purport to be all inclusive and |
| | shall be used only as a guide. This company shall not be held liable for any damage resulting |
| | from handling or from contact with the above product. |
| | |