

SAFETY DATA SHEET

Jangro Glasswash Detergent

Compiled in Accordance with EU and GB REACH and CLP Regulations.

SECTION 1: Identification of th	e substance/mixture and of the company/undertaking	
SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Jangro Glasswash Detergent	
Product number	BB127-5	
Internal identification	800-122-0043	
Container size	5 litres	
UFI	UFI: PYS2-92WE-AJ76-CR39	
1.2. Relevant identified uses of	the substance or mixture and uses advised against	
Identified uses	Machine glass washing detergent.	
Uses advised against	DO NOT use for hand glass washing.	
1.3. Details of the supplier of th	e safety data sheet	
Supplier	Jangro Ltd Jangro House Worsely Road, Farnworth Bolton, BL4 9LU Tel. 01204 795955 Jangro (Europe) Ltd 6-9 Trinity Street, Dublin 2 D02 EY47 Ireland Tel.016177911	
Contact person	For content of safety data sheet:, enquiries@jangrohq.net	
1.4. Emergency telephone num	nber	
Emergency telephone	01204 795 955 (Jangro)	
National emergency telephone number SECTION 2: Hazards identifica	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 Emergency telephone number Seek medical advice (show the label or safety data sheet where possible) National Poisons Information Centre Beaumont Hospital Tel: 01 809 2166 (8:00 a.m. to 10.00 p.m. 7 days a week) Tel: 01 809 2566 (health care professionals)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards	Not Classified
------------------	----------------

Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318

Environmental hazards Not Classified

Classification (67/548/EEC or C;R34. 1999/45/EC)

2.2. Label elements

Hazard pictograms



•	
Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage.
Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P261 Avoid breathing vapour/ spray. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P501 Dispose of contents/ container in accordance with national regulations.
Contains	SODIUM HYDROXIDE
Detergent labelling	< 5% non-ionic surfactants, < 5% polycarboxylates
Supplementary precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P101 If medical advice is needed, have product container or label at hand. P103 Read label before use. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P405 Store locked up.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

	1-5%
EC number: 215-185-5	
	EC number: 215-185-5

2-(2-BUTOXYETHOXY)ETHANOL		1-5%
CAS number: 112-34-5	EC number: 203-961-6	
Classification Eye Irrit. 2 - H319		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid meas	ures	
4.1. Description of first aid measures		
General information	Get medical attention immediately. Provide eyewash station and safety shower.	
Inhalation	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately. For breathing difficulties, oxygen may be necessary.	
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.	
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.	
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.	
4.2. Most important sympto	ms and effects, both acute and delayed	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Chemical burns must be treated by a physician. Get medical attention immediately.	
Inhalation	Severe irritation of nose and throat. May cause an asthma-like shortness of breath.	
Ingestion	This product is corrosive. Small amounts may cause serious damage. May cause chemical burns in mouth, oesophagus and stomach.	
Skin contact	May cause serious chemical burns to the skin. Causes severe skin burns and eye damage.	
Eye contact	This product is corrosive. A single exposure may cause the following adverse effects: Severe irritation, burning, tearing and blurred vision. Prolonged contact causes serious eye and tissue damage. Corneal damage.	
4.3. Indication of any imme	diate medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically. Remove contaminated clothing immediately and wash skin with soap and water.	
SECTION 5: Firefighting me	easures	
5.1 Extinguishing modia		

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards	In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Avoid contact with water. May generate heat.
5.3. Advice for firefighters	
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, prot	ective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
For emergency responders	Wear self-contained breathing apparatus. Wear protective clothing, gloves, eye and face protection. Dilute with plenty of water. Do not allow uncontrolled discharge of product into the environment. Evacuate unnecessary personnel.
6.2. Environmental precautions	
Environmental precautions	Avoid or minimise the creation of any environmental contamination. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for c	containment and cleaning up
Methods for cleaning up	Do not touch or walk into spilled material. Stop leak if safe to do so. Small Spillages: Flush away spillage with plenty of water. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	<u>s</u>
Reference to other sections	For waste disposal, see Section 13. See Section 11 for additional information on health hazards. See Section 1 for emergency contact information.
SECTION 7: Handling and stor	age
7.1. Precautions for safe handl	ing
Usage precautions	Avoid contact with skin and eyes. Avoid spilling. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid the formation of mists. Provide adequate ventilation. Do not mix with other chemicals or detergents.
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Take off immediately all contaminated clothing and wash it before reuse.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a well-ventilated place. Store away from the following materials: Acids. Oxidising materials.
Storage class	Corrosive storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³ Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³ WEL = Workplace Exposure Limit.

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL	Industry - Inhalation; Long term local effects: 1.0 mg/m ³ Consumer - Inhalation; Long term local effects: 1.0 mg/m ³
	2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)
DNEL	Workers - Inhalation; Long term systemic effects: 67.5 mg/m ³ Workers - Inhalation; Long term local effects: 67.5 mg/m ³ Workers - Dermal; Long term systemic effects: 20 mg/kg/day General population - Inhalation; Long term systemic effects: 34 mg/m ³ General population - Inhalation; Long term local effects: 34 mg/m ³ General population - Inhalation; Short term local effects: 34 mg/m ³ General population - Inhalation; Short term local effects: 50.6 mg/m ³ General population - Inhalation; Short term local effects: 10 mg/kg/day General population - Oral; Long term systemic effects: 1.25 mg/kg/day
PNEC	 Fresh water; 1 mg/l marine water; 0.1 mg/l Intermittent release; 3.9 mg/l STP; 200 mg/l Sediment (Freshwater); 4 mg/kg Sediment (Marinewater); 0.4 mg/kg Soil; 0.4 mg/kg ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)
DNEL	Workers - Inhalation; Long term systemic effects: 294 mg/m ³ Workers - Dermal; Long term systemic effects: 2080 mg/kg/day General population - Inhalation; Long term systemic effects: 87 mg/m ³ General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day
PNEC	 Fresh water; 0.0437 mg/l Intermittent release; 0.004 mg/l STP; 10 mg/l Sediment (Freshwater); 31 mg/kg Sediment (Marinewater); 31 mg/kg Soil; 1 mg/kg

D-GLUCOPYRANOSE, OLIGOMERIC, C8-10 GLYCOSIDES (CAS: 68515-73-1)

DNEL	Workers - Inhalation; Long term systemic effects: 420 mg/m ³ Workers - Dermal; Long term systemic effects: 595000 mg/kg/day General population - Inhalation; Long term systemic effects: 124 mg/m ³ General population - Dermal; Long term systemic effects: 357000 mg/kg General population - Oral; Long term systemic effects: 35.7 mg/kg
PNEC	 Fresh water; 0.176 mg/l marine water; 0.0176 mg/l Intermittent release; 0.27 mg/l STP; 560 mg/l Sediment (Freshwater); 1.516 mg/l Sediment (Marinewater); 0.152 mg/l
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Personal protection	This is not a Risk/COSHH assessment. Information contained in this document should be used to conduct a risk assessment. Information given in this document relates to the neat product as supplied. In use solutions are likely to have extreme pH values, thus use of gloves and eye protection is recommended where the assessment indicates a risk of exposure.
Eye/face protection	During the manufacture and filling of this product eye protection is recommended refer to EN166. In normal use, eye protection should be used if there is risk of eye contact (for examples splashing, dripping or leaking pumps/hoses).
Hand protection	Wear protective gloves. Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC). A break through time of >60 minutes is suggested. Gloves should be inspected regularly for damage.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Provide eyewash station and safety shower. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Particulate filter, type P2. Particulate filters should comply with European Standard EN143.
Environmental exposure controls	Avoid releasing into the environment. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.
SECTION 9: Physical and c	hemical properties
9.1. Information on basic phy	ysical and chemical properties

AppearanceLiquid.ColourColourless.OdourNo characteristic odour.pHpH (concentrated solution): >13

Melting point	Not applicable.
Initial boiling point and range	90 - 105 Degrees C.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Upper/lower flammability or explosive limits	The product is not flammable or explosive.
Vapour pressure	Not determined.
Vapour density	Not applicable.
Relative density	1.100 TYPICALLY @ 20°C
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not technically possible for a mixture.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	No information available.
Explosive properties	Not applicable.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
	5
Comments	Information given is applicable to the product as supplied.
	-
Comments	-
Comments 9.2. Other information	Information given is applicable to the product as supplied. Not relevant.
Comments 9.2. Other information Other information	Information given is applicable to the product as supplied. Not relevant.
Comments 9.2. Other information Other information SECTION 10: Stability and rea	Information given is applicable to the product as supplied. Not relevant.
Comments <u>9.2. Other information</u> Other information SECTION 10: Stability and real <u>10.1. Reactivity</u>	Information given is applicable to the product as supplied. Not relevant. Intrivity Reactions with the following materials may generate heat: Water. Strong acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid
Comments <u>9.2. Other information</u> Other information <u>SECTION 10: Stability and real</u> <u>10.1. Reactivity</u> Reactivity	Information given is applicable to the product as supplied. Not relevant. Intrivity Reactions with the following materials may generate heat: Water. Strong acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid
Comments 9.2. Other information Other information SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability	Information given is applicable to the product as supplied. Not relevant. Intrivity Reactions with the following materials may generate heat: Water. Strong acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Tin. Stable at normal ambient temperatures.
Comments 9.2. Other information Other information SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability Stability	Information given is applicable to the product as supplied. Not relevant. Intrivity Reactions with the following materials may generate heat: Water. Strong acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Tin. Stable at normal ambient temperatures.
Comments 9.2. Other information Other information SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous	Information given is applicable to the product as supplied. Not relevant. Intrivity Reactions with the following materials may generate heat: Water. Strong acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Tin. Stable at normal ambient temperatures. reactions The following materials may react violently with the product: Chlorohydrocarbons. Acids.
Comments 9.2. Other information Other information SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions	Information given is applicable to the product as supplied. Not relevant. Intrivity Reactions with the following materials may generate heat: Water. Strong acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Tin. Stable at normal ambient temperatures. reactions The following materials may react violently with the product: Chlorohydrocarbons. Acids.
Comments 9.2. Other information Other information SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid	Information given is applicable to the product as supplied. Not relevant. Intivity Reactions with the following materials may generate heat: Water. Strong acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Tin. Stable at normal ambient temperatures. Teactions The following materials may react violently with the product: Chlorohydrocarbons. Acids. Reactions with the following materials may generate heat: Water.
Comments 9.2. Other information Other information SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid	Information given is applicable to the product as supplied. Not relevant. Intivity Reactions with the following materials may generate heat: Water. Strong acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Tin. Stable at normal ambient temperatures. Teactions The following materials may react violently with the product: Chlorohydrocarbons. Acids. Reactions with the following materials may generate heat: Water.

Hazardous decomposition products	Hydrogen.
SECTION 11: Toxicological inf	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	No information available. Information given is based on data of the components and of similar products.
Other health effects	There is no evidence that the product can cause cancer.
Acute toxicity - oral	
Notes (oral LD₅₀)	Estimated value. Calculation method. Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD∞)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Causes severe burns. Calculation method.
Serious eye damage/irritation Serious eye damage/irritation	Corrosivity to eyes is assumed.
Respiratory sensitisation Respiratory sensitisation	Not sensitising. Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.
Carcinogenicity Carcinogenicity	Does not contain any substances known to be carcinogenic.
Reproductive toxicity Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
General information	Corrosive to skin and eyes.
Inhalation	Spray/mists may cause respiratory tract irritation. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	May cause burns in mucous membranes, throat, oesophagus and stomach.
Skin contact	May cause serious chemical burns to the skin. Repeated exposure may cause skin dryness or cracking.

Eye contact	Causes burns. A single exposure may cause the following adverse effects: Corneal damage.
	Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss
	of sight.

Toxicological information on ingredients.

SODIUM HYDROXIDE

	Acute toxicity - oral	
	Acute toxicity oral (LD₅ mg/kg)	• 2,000.0
	Species	Rat
	Acute toxicity - dermal	
	Acute toxicity dermal (l mg/kg)	_D₅o 2,000.1
	Species	Rabbit
	Skin corrosion/irritation	
	Skin corrosion/irritation	Burning pain and severe corrosive skin damage.
	Serious eye damage/in	ritation
	Serious eye damage/irritation	Causes serious eye damage.
	Skin sensitisation	
Skin sensitisation		Not sensitising.
SECTION 12	2: Ecological information	1
Ecotoxicity	The	re are no data on the ecotoxicity of this product.
Ecological in	formation on ingredient	<u>s.</u>
		SODIUM HYDROXIDE
	Ecotoxicity	The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.
12.1. Toxicity	<u>/</u>	
Toxicity		product may affect the acidity (pH) of water which may have hazardous effects on aquatic nisms.
Acute aquati	c toxicity	
Acute toxicity	/ - aquatic plants May	cause long lasting harmful effects to aquatic life.
Acute toxicity	/ - terrestrial Can	cause damage to vegetation.
Ecological in	formation on ingredient	<u>S.</u>
		SODIUM HYDROXIDE

Acute aquatic toxicity	
Acute toxicity - fish	REACH dossier information.
	LC₅₀, 96 hours: < 180 mg/l, Freshwater fish

Acute toxicity - aquatic EC₅₀, 48 hours: 40.4 mg/l, Freshwater invertebrates invertebrates

Chronic aquatic toxicity

Chronic toxicity - fish early Not available. life stage

Chronic toxicity - aquatic Not available. invertebrates

12.2. Persistence and degradability

Persistence and degradability Degrades very slowly in nature.

Ecological information on ingredients.

SODIUM HYDROXIDE

Persistence andThe product contains inorganic substances which are not biodegradable.degradability

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient Not technically possible for a mixture.

Ecological information on ingredients.

SODIUM HYDROXIDE

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility

The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

SODIUM HYDROXIDE

Mobility

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

Ecological information on ingredients.

SODIUM HYDROXIDE

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria. assessment

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

SODIUM HYDROXIDE

Other adverse effects Not determined.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.	
Disposal methods	The packaging must be empty (drop-free when inverted). Wash with plenty of water. Dispose of waste via a licensed waste disposal contractor. Reuse or recycle products wherever possible.	
Waste class	EWC Code: 06 02 04	
SECTION 14: Transport inform	nation	
14.1. UN number		
UN No. (ADR/RID)	1824	
UN No. (IMDG)	1824	
UN No. (ICAO)	1824	
UN No. (ADN)	1824	
14.2. UN proper shipping name	2	
Proper shipping name (ADR/RID)	SODIUM HYDROXIDE SOLUTION	
Proper shipping name (IMDG)	SODIUM HYDROXIDE SOLUTION	
Proper shipping name (ICAO)	SODIUM HYDROXIDE SOLUTION	
Proper shipping name (ADN)	SODIUM HYDROXIDE SOLUTION	
14.3. Transport hazard class(e	<u>s)</u>	
ADR/RID class	8	
ADR/RID classification code	C5	
ADR/RID label	8	
IMDG class	8	
ICAO class/division	8	
ADN class	8	
Transport labels		
B		
14.4. Packing group		

14.4.1 doking group		
ADR/RID packing group	II	
IMDG packing group	Ш	
ICAO packing group	П	
ADN packing group	П	
14.5. Environmental hazards		

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user		
IMDG Code segregation group	18. Alkalis	
EmS	F-A, S-B	
ADR transport category	2	
Emergency Action Code	2R	
Hazard Identification Number (ADR/RID)	80	
Tunnel restriction code	(E)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as
	amended).
	Environmental Protection Act 1990.
	The Hazardous Waste Regulations 2005.
	EH40/2005 Workplace exposure limits.
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).
	The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended).
	 The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009)
	No. 716).
EU legislation	
	Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006, Waste Material Code 91/689/EEC
	European Regulation (EC) No 1272/2008 on classification, labelling and packaging of
	substances and mixtures (as amended) European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended)
	European Regulation (EC) No 648/2004 on detergents (as amended) Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006,

Guidance	Workplace Exposure Limits EH40.
	Technical Guidance WM2: Hazardous Waste.
	COSHH Essentials.
	ECHA Guidance on the Application of the CLP Criteria.
	ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

A Chemical Safety Assessment (CSA) has been completed for Sodium hydroxide.

SECTION 16: Other information	SECTION	16:	Other	information
-------------------------------	---------	-----	-------	-------------

Abbreviations and acronyms used in the safety data sheet	EWC European Waste Catalogue STOT RE = Specific target organ toxicity-repeated exposure PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. PNEC: Predicted No Effect Concentration. DNEL: Derived No Effect Level.
General information	Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision. Product name change. Revised formulation.
Revision date	01/07/2022
Revision	7
Supersedes date	31/05/2022
SDS number	23254
Risk phrases in full	R22 Harmful if swallowed. R34 Causes burns. R35 Causes severe burns. R41 Risk of serious damage to eyes.
Hazard statements in full	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation.