



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/8

Duet - Floral Cascade

Revision 4
Revision date 2012-12-23

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Duet - Floral Cascade
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products;
Description	Metered aerosols - Air Neutralizers.
1.3. Details of the supplier o	f the safety data sheet
Company	Rubbermaid Commercial Products LLC
Address	Newell Rubbermaid Europe Sàrl Chemin de Blandonnet 10 CH-1214 Vernier / Geneva / Switzerland
Web	www.rubbermaid.eu/contact
Telephone	+44 (0)8705 686 824
Fax	+44 (0)2030 279 352
Email	sds.CommercialProducts@newellco.com
Local Supplier	
Company	Newell Poland Services Sp. z o. o.
Address	2 UI. Wybickiego Manieczki Brodnica 63-112 Poland
Web	www.rubbermaid.eu/contact
Telephone	+44 (0)8705 686 824
Fax	+44 (0)2030 279 352
1.4. Emergency telephone n	umber
Emergency telephone number	+44 (0)8705 686 824
	Monday till Friday (08:30 - 17:00)
Intended use	
	Fragranced metered aerosol space sprays designed for use in proprietary automated dispensers.
Further information	
Informing Department	Technical Services Department.
SECTION 2: Hazards ide	ntification
2.1. Classification of the sub	
2.1.1. Classification - 1999/45/EC	F+; R12 R52/53 Symbols: F+: Extremely flammable.

Extremely flammable. Harmful to aquatic organisms, may cause long-term adverse effects in the

Main hazards

Revision 4
Revision date 2012-12-23

2.1. Classification of the substance or mixture

aquatic environment.

2.2. Label elements

The product is classified in accordance with 67/548/EEC.

For professional use only.

Symbols F+: Extremely flammable.



Risk phrases

R12 - Extremely flammable.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases

.

S2 - Keep out of the reach of children.

S16 - Keep away from sources of ignition - No smoking.

S23 - Do not breathe gas/fumes/vapour/spray.

S29 - Do not empty into drains.

S51 - Use only in well-ventilated areas.

Precautionary Phrases

P10 - Contains cyclamen aldehyde, citronellol, methylenedioxyphenyl methylpropanal, 2,4-dimethyl-3-cyclohexene carboxaldehyde, butylphenyl methylpropional. May produce an allergic reaction.

Further information

Classification system

For mixtures, classification is in compliance with Regulation (EC) 1999/45. The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isobutane	601-004-00-0	75-28-5	200-857-2		40 - 50%	F+; R12
Propane	601-003-00-5	74-98-6	200-827-9		10 - 20%	F+; R12
Ethanol	603-002-00-5	64-17-5	200-578-6		10 - 20%	F; R11
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	F; R11 Xi; R36 R67
Dipropylene Glycol		110-98-5	203-821-4		1 - 10%	
2-Tertiary-butylcyclohexyl acetat	е	88-41-5	201-828-7		1 - 10%	N; R51/53
Citronellol		106-22-9	203-375-0		< 1%	
Butylphenyl methylpropional		80-54-6	201-289-8		< 1%	Xn; R22-62 Xi; R38-43 N; R51/53
2,4-Dimethyl-3-cyclohexene carboxaldehyde		68039-49-6	268-264-1		< 1%	Xi; R36/38-43 R52/53
Gamma-Undecalactone		104-67-6	203-225-4		< 1%	N; R51/53
Cyclamen aldehyde		103-95-7	203-161-7		< 1%	Xn; R62 Xi; R38-43 N; R51/53
Alpha-methyl-1,3-benzodioxole-5 opanal	5-p	1205-17-0	214-881-6		< 1%	Xi; R43 N; R51/53

Further information

Revision 4
Revision date 2012-12-23

Further information	
	Regulation (EU) 453/2010 - Substances in compliance with Regulation (EC) 1272/2008.
	Isobutane - Flam. Gas 1: H220; GHS02; GHS04;.
	Propane - Flam. Gas 1: H220; GHS02; GHS04;.
	Ethanol - Flam. Liq. 2: H225; GHS02;.
	Isopropanol - Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; GHS07; GHS02;. Dipropylene Glycol - Skin Irr. 2: H315; Eye Irr. 2: H319; GHS07;.
	2-Tertiary-butylcyclohexyl acetate - Aquatic Chronic 2: H411; GHS09;.
	Citronellol - Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 2: H319; GHS07;.
	Butylphenyl methylpropional - Acute Tox. 4: H302; Skin Irrit. 2: H315; Skin Sens. 1: H317; Repr. 2: H361; Aquatic Chronic 2: H411; GHS07; GHS09; GHS08;.
	2,4-Dimethyl-3-cyclohexene carboxaldehyde - Skin Irrit. 2: H315; Eye Irrit. 2:H319; Skin Sens. 1: H317; Aquatic Chronic 3: H412; GHS07;.
	Gamma-undecalactone - Aquatic Chronic 2: H411; EUH210; GHS09;.
	Cyclamen aldehyde - Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411; GHS07; GHS09;.
	Alpha-methyl-1,3-benzodioxole-5-propanal - Aquatic Chronic 2: H411; Skin Sens. 1: H317; GHS07; GHS09;.
Additional Information:	Full text for all Risk Phrases mentioned in this section are displayed in Section 16.
Description	Mixture of organic solvents, perfume and propane/iso-butane (propellant).
SECTION 4: First aid measu	ıres
4.1. Description of first aid mea	
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water.
Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING.
	and effects, both acute and delayed
Inhalation	May cause dizziness and headache.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
	e medical attention and special treatment needed
Inhalation	If you feel unwell, seek medical advice (show the label where possible).
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Further information	Cock medical attention in initiation of symptoms persist.
, u.a.o., uncontactor	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
SECTION 5: Firefighting me	
5.1. Extinguishing media	
-	Carbon dioxide (CO2). Alcohol resistant foam.
	Do NOT use water jet.
5.2. Special hazards arising fro	m the substance or mixture
	Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2).
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	
	Cool fire exposed containers with waterspray.



SECTION 6: Accidental release measures

Revision 4
Revision date 2012-12-23

0.4	D I					
0.1.	Personal	precautions.	protective	equipment a	and emergency	r procedures

Wear suitable protective equipment. Evacuate personnel to a safe area.

6.2. Environmental precautions

No environmental requirements.

6.3. Methods and material for containment and cleaning up

Ensure adequate ventilation. Absorb liquid components with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

See section 8 + 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Wear suitable protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Ensure adequate ventilation of the working area.

Keep in a cool, dry, well ventilated area. Heat will increase pressure in sealed containers. Keep away from sources of ignition - No smoking. Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Do not store with strong oxidising agents, Strong acids. Protect from heat and direct sunlight. Observe official regulations on storing packagings with pressurised containers.

7.3. Specific end use(s)

Air care products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Ethanol	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection	Adopt best Manual Handling considerations when handling, carrying and dispensing.
measures	
Eye / face protection	Avoid contact with eyes.
Skin protection - Handprotection	Wash hands after handling the product.
Respiratory protection	Not normally required.
Further information	
Additional Information:	Wash hands during breaks and at the end of the work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



Revision 4
Revision date 2012-12-23

9.1. Information on basic physical and chemical properties

State	Aerosol
Colour	According to Product specification.
Odour	Characteristic
Relative density	0.62 - 0.632

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Will not decompose if stored and used as recommended.

10.3. Possibility of hazardous reactions

Strong oxidising agents.

10.4. Conditions to avoid

Store at temperatures above 50 $^{\circ}\text{C}.$ Heat, sparks and open flames.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Carbon oxides. Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation May cause irritation to skin. May cause allergic reactions in susceptible people.

11.1.4. Toxicological Information

Ethanol	Oral Rat LD50: 6200 - 17800	
	mg/kg	
Isopropanol	Inhalation Rat LC50/4 h: >20 mg/l	Oral Rat LD50: >5000 mg/kg
	Dermal Rabbit LD50: >5000 mg/kg	

SECTION 12: Ecological information

12.1. Toxicity

Ethanol	Algae IC50/72h: 5000 mg/l	Fish LC50/96h: 11400 mg/l
	No data is available on this product.	
12.2. Persistence and degradal	·	
	Evaporates readily.	
12.3. Bioaccumulative potential		
	Does not bioaccumulate.	
12.4. Mobility in soil		
	Evaporates readily.	
12.5. Results of PBT and vPvB	assessment	
	No data is available on this product.	
12.6. Other adverse effects		
	No data available.	
Further information		

SECTION 13: Disposal considerations

Do not allow product to enter drains

Revision 4
Revision date 2012-12-23

A		: C	4!	
Genera	1	Intor	matior	1

	Dispose of in compliance with all local and national regulations.			
Disposal methods				
	Contact a licensed waste disposal company.			
Disposal of packaging				
	Dispose of in compliance with all local and national regulations. Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.			

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1950

14.2. UN proper shipping name

AEROSOLS

see SP63

14.3. Transport hazard class(es)

ADR/RID	2
Subsidiary risk	see SP63
IMDG	2
Subsidiary risk	see SP63
IATA	2

14.4. Packing group

Subsidiary risk

Packing group

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

ADR/RID

Hazard ID	-
Tunnel Category	(D)

IMDG

EmS Code	F-D S-U
----------	---------

IATA

Packing Instruction (Cargo)	203
Maximum quantity	150 kg
Packing Instruction	203
(Passenger)	
Maximum quantity	75 kg

Further information

Remarks	ADR - Goods are classified as "Limited Quantities" and are therefore excempt from ADR regulations. Check local legislation for domestic transport.	
Remarks	IMDG - Goods are classified as "Limited Quantities" and are therefore exempt from IMDG regulations. Check local regulation for domestic transport.	
Remarks	"Limited Quantity".	



Revision 4
Revision date 2012-12-23

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

Aerosol product is manufactured in compliance with Commission Directive 2008/47/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

Further information

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 3 Further information.
- 4 Skin contact.
- 4 Skin contact.
- 8 Additional Information:.
- 11 Skin corrosion/irritation.
- 11 Respiratory or skin sensitisation.
- 15 Safety phrases.
- 15 Precautionary Phrases.
- 16 General information.

Data sources

Raw Material Data Sheets.

Exposure limits.

Text of risk phrases in Section 3

R11 - Highly flammable.

R12 - Extremely flammable.

R22 - Harmful if swallowed.

R36/38 - Irritating to eyes and skin.

R36 - Irritating to eyes.

R38 - Irritating to skin.

R43 - May cause sensitisation by skin contact.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R62 - Possible risk of impaired fertility.

R67 - Vapours may cause drowsiness and dizziness.

General information

Additional information in compliance with Regulation (EC) 1272/2008.

H220 - Extremely flammable gas.

H225 - Highly flammable liquid and vapour.



Revision 4
Revision date 2012-12-23

General information				
	H302 - Harmful if swallowed.			
	H315 - Causes skin irritation.			
	H317 - May cause an allergic skin reaction.			
	H319 - Causes serious eye irritation.			
	H336 - May cause drowsiness or dizziness.			
	H361 - Suspected of damaging fertility or the unborn child .			
	H411 - Toxic to aquatic life with long lasting effects.			
	H412 - Harmful to aquatic life with long lasting effects.			
Further information				
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. *.			
Informing Department	Technical Services Department.			







SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/8

Duet - Vibrant Sense

Revision 4
Revision date 2012-12-24

SECTION 1: Identification	of the substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name	Duet - Vibrant Sense			
1.2. Relevant identified uses	of the substance or mixture and uses advised against			
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products;			
Description	Metered aerosols - Air Neutralizers.			
1.3. Details of the supplier of	the safety data sheet			
Company	Rubbermaid Commercial Products LLC			
Address	Newell Rubbermaid Europe Sàrl Chemin de Blandonnet 10 CH-1214 Vernier / Geneva / Switzerland			
Web	www.rubbermaid.eu/contact			
Telephone	+44 (0)8705 686 824			
Fax	+44 (0)2030 279 352			
Email	sds.CommercialProducts@newellco.com			
Local Supplier				
Company	Newell Poland Services Sp. z o. o.			
Address	2 UI. Wybickiego			
	Manieczki			
	Brodnica			
	63-112			
	Poland			
Web	www.rubbermaid.eu/contact			
Telephone	+44 (0)8705 686 824			
Fax	+44 (0)2030 279 352			
1.4. Emergency telephone n				
Emergency telephone number	+44 (0)8705 686 824			
	Monday till Friday (08:30 - 17:00)			
Intended use				
	Fragranced metered aerosol space sprays designed for use in proprietary automated dispensers.			
Further information				
Informing Department	Technical Services Department.			
SECTION 2: Hazards idea	ntification			
2.1. Classification of the sub				
2.1.1. Classification -	F+; R12			
1999/45/EC	Symbols: F+: Extremely flammable.			
Main hazards	Extremely flammable.			

Powered by ChemSoft EH&S

Revision 4
Revision date 2012-12-24

2.2. Label elements

The product is classified in accordance with 67/548/EEC.

For professional use only.

F+: Extremely flammable.



Risk phrases

Symbols

Safety phrases

R12 - Extremely flammable.

S2 - Keep out of the reach of children.

S16 - Keep away from sources of ignition - No smoking.

S23 - Do not breathe gas/fumes/vapour/spray.

S51 - Use only in well-ventilated areas.

Precautionary Phrases

P10 - Contains 2,4-Dimethyl-3-cyclohexene carboxaldehyde. May produce an allergic reaction.

Further information

Classification system

For mixtures, classification is in compliance with Regulation (EC) 1999/45. The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isobutane	601-004-00-0	75-28-5	200-857-2		40 - 50%	F+; R12
Propane	601-003-00-5	74-98-6	200-827-9		10 - 20%	F+; R12
Ethanol	603-002-00-5	64-17-5	200-578-6		10 - 20%	F; R11
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	F; R11 Xi; R36 R67
Dipropylene Glycol		110-98-5	203-821-4		1 - 10%	
2,6-dimethyloct-7-en-2-ol		18479-58-8	242-362-4		1 - 10%	Xi; R38
Camphor (Bornan-2-one)		76-22-2	200-945-0		< 1%	Xn; R20-68/22
Linalyl acetate		115-95-7	204-116-4		< 1%	Xi; R38 N; R51/53
Hexyl Acetate		142-92-7	205-572-7		< 1%	N; R51/53
Gamma-Undecalactone		104-67-6	203-225-4		< 1%	N; R51/53
2,4-Dimethyl-3-cyclohexene carboxaldehyde		68039-49-6	268-264-1		< 1%	Xi; R36/38-43 R52/53
Allyl Caproate		123-68-2	204-642-4		< 1%	Xn; R21/22 Xi; R38 N; R51/53

Further information

Regulation (EU) 453/2010 - Substances in compliance with Regulation (EC) 1272/2008.

Isobutane - Flam. Gas 1: H220; GHS02; GHS04;. Propane - Flam. Gas 1: H220; GHS02; GHS04;.

Ethanol - Flam. Liq. 2: H225; GHS02;.

Isopropanol - Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; GHS07; GHS02;.

Dipropylene Glycol - Skin Irr. 2: H315; Eye Irr. 2: H319; GHS07;.

2,6-dimethyl-7-octen-2-ol - Skin Irrit. 2: H315; Eye Dam. 2: H319; GHS07;.

Camphor (Bornan-2-one) - Flam. Sol. 2: H228; Acute Tox. 4: H332; STOT SE2: H371; GHS07;



Revision 4
Revision date 2012-12-24

	Revision date 2012-12-2
Further information	
	GHS02; GHS08;.
	Linalyl acetate - Skin Irrit. 2: H315; Eye Dam. 2: H319; GHS07;.
	Hexyl acetate - Flam. Liq. 3: H226; Aquatic Chronic 2: H411; GHS02; GHS09;.
	Gamma-undecalactone - Aquatic Chronic 2: H411; EUH210; GHS09;
	2,4-Dimethyl-3-cyclohexene carboxaldehyde - Skin Irrit. 2: H315; Eye Irrit. 2:H319; Skin Sens. 1:
	H317; Aquatic Chronic 3: H412; GHS07;. Allyl caproate - Acute Tox. 3: H301; Acute Tox. 3: H311; Skin Irrit. 2: H315; Eye Irrit. 2: H319;
	Anyr caproate - Acute 10x. 5. 11501, Acute 10x. 5. 11511, Skill lift. 2. 11515, Eye lift. 2. 11519, Aquatic Chronic 2: H411; GHS06; GHS09;.
Additional Information:	Full text for all Risk Phrases mentioned in this section are displayed in Section 16.
Description	Mixture of organic solvents, perfume and propane/iso-butane (propellant).
SECTION 4: First aid meas	ures
4.1. Description of first aid me	asures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water.
Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING.
	and effects, both acute and delayed
Inhalation	
	May cause dizziness and headache.
Eye contact	May cause irritation to eyes.
•	te medical attention and special treatment needed
Inhalation	If you feel unwell, seek medical advice (show the label where possible).
Eye contact	Seek medical attention.
Further information	
	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
SECTION 5: Firefighting me	easures
5.1. Extinguishing media	
	Carbon dioxide (CO2). Alcohol resistant foam.
	Do NOT use water jet.
5.2. Special hazards arising from	om the substance or mixture
	Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2).
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	Wedi suitable respiratory equipment when necessary.
T ditalor linormation	O a life and a substitute with a substitute of the substitute of t
	Cool fire exposed containers with waterspray.
SECTION 6: Accidental rele	
6.1. Personal precautions, pro	tective equipment and emergency procedures
	Wear suitable protective equipment. Evacuate personnel to a safe area.
6.2. Environmental precaution	S
	No environmental requirements.
6.3. Methods and material for	containment and cleaning up
	Ensure adequate ventilation. Absorb liquid components with liquid binding material (sand,
	diatomite, acid binders, universal binders, sawdust).
6.4. Reference to other section	· · · · · · · · · · · · · · · · · · ·
	See section 8 + 13 for further information.
	Coo cocion o . To for farther information.



Revision Revision date 2012-12-24

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Wear suitable protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Ensure adequate ventilation of the working area.

Keep in a cool, dry, well ventilated area. Heat will increase pressure in sealed containers. Keep away from sources of ignition - No smoking. Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Do not store with strong oxidising agents, Strong acids. Protect from heat and direct sunlight. Observe official regulations on storing packagings with pressurised containers.

7.3. Specific end use(s)

Air care products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Camphor (Bornan-2-one)	WEL 8-hr limit ppm: 2	WEL 8-hr limit mg/m3: 13
	WEL 15 min limit ppm: 3	WEL 15 min limit mg/m3: 19
Ethanol	WEL 8-hr limit ppm: 1000 WEL 8-hr limit mg/m3: 1920	
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250

Adopt best Manual Handling considerations when handling, carrying and dispensing.

8.2. Exposure controls

8.2.1. Appropriate
engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Eye / face protection

Avoid contact with eyes.

Skin protection -Handprotection

Wash hands after handling the product.

Respiratory protection

Not normally required.

Further information

Additional Information:

Wash hands during breaks and at the end of the work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State Colour Aerosol

According to Product specification.

Odour Vapour pressure 4.0 ± 0.5 bar

Characteristic

Relative density

0.62 - 0.632

Explosive 1.8 - 19.0 vol %

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Will not decompose if stored and used as recommended.



Revision 4
Revision date 2012-12-24

		Revision date 2012-12-2		
10.3. Possibility of hazardous re	eactions			
	Strong oxidising agents.			
10.4. Conditions to avoid				
	Store at temperatures above 50 °C. Heat, sparks and of	open flames.		
10.5. Incompatible materials				
	No data available.			
10.6. Hazardous decomposition	products			
	Carbon oxides. Carbon dioxide (CO2).			
SECTION 11: Toxicological	nformation			
11.1. Information on toxicologic	al effects			
Skin corrosion/irritation	May cause irritation to skin. May cause allergic reactions in susceptible people.			
11.1.4. Toxicological Informatio	n			
Ethanol	Oral Rat LD50: 6200 - 17800			
	mg/kg			
Isopropanol	Inhalation Rat LC50/4 h: >20 mg/l	Oral Rat LD50: >5000 mg/kg		
	Dermal Rabbit LD50: >5000 mg/kg			

SECTION 12: Ecological information

12.1. Toxicity

Ethanol	Algae IC50/72h: 5000 mg/l	Fish LC50/96h: 11400 mg/l	
	No data is available on this product.		
12.2. Persistence and degradability			
	Evaporates readily.		
12.3. Bioaccumulative potential			
	Does not bioaccumulate.		
12.4. Mobility in soil			
	Evaporates readily.		
12.5. Results of PBT and vPvB assessment			
	No data is available on this product.		
12.6. Other adverse effects			
	No data available.		
Further information			
	Do not allow product to enter drains.		
SECTION 13: Disposal considerations			
General information			
	Dispose of in compliance with all local and national regulations.		
Disposal methods			
	Contact a licensed waste disposal company.		
Disposal of packaging			
	Dispose of in compliance with all local and national regulations. D Empty containers can be sent for disposal or recycling.	o NOT reuse empty containers.	

SECTION 14: Transport information

Hazard pictograms



Revision 4
Revision date 2012-12-24

Hazard pictograms		
	2	
14.1. UN number		
	UN1950	
14.2. UN proper shipping name	,	
	AEROSOLS	
14.3. Transport hazard class(es	3)	
ADR/RID	2	
Subsidiary risk	see SP63	
IMDG	2	
Subsidiary risk	see SP63	
IATA	2	
Subsidiary risk	see SP63	
14.4. Packing group		
Packing group	-	
14.5. Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
ADR/RID		
Hazard ID	-	
Tunnel Category	(D)	
IMDG		
EmS Code	F-D S-U	
IATA		
Packing Instruction (Cargo)	203	
Maximum quantity	150 kg	
Packing Instruction	203	
(Passenger)		
Maximum quantity	75 kg	
Further information		
Remarks	ADR - Goods are classified as "Limited Quantities" and are therefore excempt from ADR regulations. Check local legislation for domestic transport.	
Remarks	IMDG - Goods are classified as "Limited Quantities" and are therefore exempt from IMDG	
Remarks	regulations. Check local regulation for domestic transport. "Limited Quantity".	
	1	

SECTION 15: Regulatory information

Regulations

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency,
Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and

Aerosol product is manufactured in compliance with Commission Directive 2008/47/EC.



Revision 4
Revision date 2012-12-24

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

Further information

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

SECTION 16: Other information

Other information

RevisionThis document differs from the previous version in the following areas:.

3 - Further information.

8 - Additional Information:.

11 - Skin corrosion/irritation.

11 - Respiratory or skin sensitisation.

15 - Precautionary Phrases.

16 - General information.

Data sources

Raw Material Data Sheets.

Exposure limits.

Text of risk phrases in Section 3

R11 - Highly flammable.

R12 - Extremely flammable.

R20 - Harmful by inhalation.

R21/22 - Harmful in contact with skin and if swallowed.

R36/38 - Irritating to eyes and skin.

R36 - Irritating to eyes.

R38 - Irritating to skin.

R43 - May cause sensitisation by skin contact.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R67 - Vapours may cause drowsiness and dizziness.

R68/22 - Harmful: possible risk of irreversible effects if swallowed.

General information

Additional information in compliance with Regulation (EC) 1272/2008.

H220 - Extremely flammable gas.

H225 - Highly flammable liquid and vapour.

H226 - Flammable liquid and vapour.

H228 - Flammable solid.

H301 - Toxic if swallowed.

H302 - Harmful if swallowed.

H311 - Toxic in contact with skin.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H336 - May cause drowsiness or dizziness.



Revision 4
Revision date 2012-12-24

General information		
	H371 - May cause damage to organs . H411 - Toxic to aquatic life with long lasting effects. H412 - Harmful to aquatic life with long lasting effects. EUH210 - Safety data sheet available on request.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. *.	
Informing Department	Technical Services Department.	

