

Brands That Matter



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Duet - Cotton Berry

Page 1/8

 Revision
 5

 Revision date
 2012-12-24

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Duet - Cotton Berry
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products;
Description	Metered aerosols - Air Neutralizers.
1.3. Details of the supplier of the	e safety data sheet
Company	Rubbermaid Commercial Products LLC
Address	Newell Rubbermaid Europe Sàrl
	Chemin de Blandonnet 10
	CH-1214 Vernier / Geneva / Switzerland
Web	www.rubbermaid.eu/contact
Telephone	+44 (0)8705 686 824
Fax	+44 (0)2030 279 352
Email	sds.CommercialProducts@newellco.com
Local Supplier	
Company	Newell Poland Services Sp. z o. o.
Address	2 UI. Wybickiego
	Manieczki
	Brodnica 63-112
	Poland
Web	www.rubbermaid.eu/contact
Telephone	+44 (0)8705 686 824
Fax	+44 (0)2030 279 352
1.4. Emergency telephone num	
Emergency telephone	+44 (0)8705 686 824
number	Monday till Friday (08:30 - 17:00)
Intended use	
	Fragranced metered aerosol space sprays designed for use in proprietary automated dispensers.
Further information	
Informing Department	Technical Services Department.
- ·	
SECTION 2: Hazards identif 2.1. Classification of the substa	
2.1.1. Classification - 1999/45/EC	F+; R12 Symbols: F+: Extremely flammable.
Main hazards	Extremely flammable.
mani naza us	



2.2. Label elements

	The product is classified in accordance with 67/548/EEC.
	For professional use only.
Symbols	F+: Extremely flammable.
Risk phrases	R12 - Extremely flammable.
Safety phrases	
	S2 - Keep out of the reach of children.
	S16 - Keep away from sources of ignition - No smoking.
	S23 - Do not breathe gas/fumes/vapour/spray.
	S51 - Use only in well-ventilated areas.
Precautionary Phrases	P10 - Contains benzyl salicylate, tetramethyl acetyloctahydronaphthalenes, hexyl salicylate. May produce an allergic reaction.
Further information	
Classification system	For mixtures, classification is in compliance with Regulation (EC) 1999/45. The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isobutane	601-004-00-0	75-28-5	200-857-2		40 - 50%	F+; R12
Propane	601-003-00-5	74-98-6	200-827-9		10 - 20%	F+; R12
Ethanol	603-002-00-5	64-17-5	200-578-6		10 - 20%	F; R11
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	F; R11 Xi; R36 R67
Dipropylene Glycol		110-98-5	203-821-4		1 - 10%	
Ethylene Brassylate		105-95-3	203-347-8		< 1%	N; R51/53
tetramethyl Acetyloctahydronaphthalenes		54464-57-2	259-174-3		< 1%	Xi; R43 N; R51/53
Beta-Ionone		14901-07-6	238-969-9		< 1%	N; R51/53
Hexyl Salicylate		6259-76-3	228-408-6		< 1%	Xi; R38-43 N; R50/53
Linalyl acetate		115-95-7	204-116-4		< 1%	Xi; R38 N; R51/53
2-Tertiary-butylcyclohexyl acetate		88-41-5	201-828-7		< 1%	N; R51/53
Citronellyl Acetate		150-84-5	205-775-0		< 1%	Xi; R38 N; R51/53
Benzyl salicylate		118-58-1	204-262-9		< 1%	Xi; R43 N; R51/53

Further information

Regulation (EU) 453/2010 - Substances in compliance with Regulation (EC) 1272/2008.
Isobutane - Flam. Gas 1: H220; GHS02; GHS04;.
Propane - Flam. Gas 1: H220; GHS02; GHS04;.
Ethanol - Flam. Liq. 2: H225; GHS02;.
Isopropanol - Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; GHS07; GHS02;.
Dipropylene Glycol - Skin Irr. 2: H315; Eye Irr. 2: H319; GHS07;.
Ethylene brassylate - Aquatic Chronic 2: H411; GHS09;.



Further information		
	Tetramethyl acetyloctahydronaphthalenes - Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquat. Chronic 2: H411; GHS07; GHS09;. Beta-ionone - Aquatic Chronic 2: H411; GHS09;. Hexyl salicylate - Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 2: H319; Aquatic Chronic 1: H410; GHS07; GHS09;. Linalyl acetate - Skin Irrit. 2: H315; Eye Dam. 2: H319; GHS07;. 2-Tertiary-butylcyclohexyl acetate - Aquatic Chronic 2: H411; GHS09;. Citronellyl acetate - Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 2: H411; GHS07; GHS09;. Benzyl salicylate - Skin Sens. 1: H317; Aquatic Chronic 2: H411; GHS07; GHS09;.	
Additional Information:	Full text for all Risk Phrases mentioned in this section are displayed in Section 16.	
Description	Mixture of organic solvents, perfume and propane/iso-butane (propellant).	
SECTION 4: First aid measures		
4.1. Description of first aid mea	sures	

4.1. Description of first aid measure	sures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water.
Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING.
4.2. Most important symptoms a	and effects, both acute and delayed
Inhalation	May cause dizziness and headache.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
4.3. Indication of any immediate	e medical attention and special treatment needed
Inhalation	If you feel unwell, seek medical advice (show the label where possible).
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Further information	
	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	Carbon dioxide (CO2). Alcohol resistant foam.
	Do NOT use water jet.
5.2. Special hazards arising from	m the substance or mixture
	Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2).
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	
	Cool fire exposed containers with waterspray.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Wear suitable protective equipment. Evacuate personnel to a safe area.
6.2. Environmental precautions	
	No equiremental requiremente

No environmental requirements.

6.3. Methods and material for containment and cleaning up

Ensure adequate ventilation. Absorb liquid components with liquid binding material (sand,



Revision 5 Revision date 2012-12-24

6.3. Methods and material for containment and cleaning up

diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

See section 8 + 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Wear suitable protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

	Ensure adequate ventilation of the working area.
	Keep in a cool, dry, well ventilated area. Heat will increase pressure in sealed containers. Keep
	away from sources of ignition - No smoking. Pressurised container. Protect from sunlight and do
	not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray
	on a naked flame or any incandescent material. Do not store with strong oxidising agents, Strong
	acids. Protect from heat and direct sunlight. Observe official regulations on storing packagings
	with pressurised containers.
oific and use(a)	

7.3. Specific end use(s)

Air care products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Ethanol	WEL 8-hr limit ppm: 1000 WEL 8-hr limit mg/m3: 1920	
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection	Adopt best Manual Handling considerations when handling, carrying and dispensing.
measures	
Eye / face protection	Avoid contact with eyes.
Skin protection -	Wash hands after handling the product.
Handprotection	
Respiratory protection	Not normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Aerosol
Colour	According to Product specification.
Odour	Characteristic
Vapour pressure	
Relative density	0.62 - 0.632
Explosive	1.8 - 19.0 vol%
SECTION 10: Stability and reactivity	

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability



 Revision
 5

 Revision date
 2012-12-24

10.2. Chemical stability		
	Will not decompose if stored and used as recommended.	
10.3. Possibility of hazardous re	eactions	
	Strong oxidising agents.	
10.4. Conditions to avoid	r	
	Store at temperatures above 50 °C. Heat, sparks and open flames.	
10.5. Incompatible materials		
	No data available.	
10.6. Hazardous decomposition	products	
	Carbon oxides. Carbon dioxide (CO2).	
SECTION 11: Toxicological	nformation	
11.1. Information on toxicologic	al effects	
Acute toxicity	No data is available on this product.	
Skin corrosion/irritation	May cause irritation to skin. May cause allergic reactions in suscept	ible people.
11.1.4. Toxicological Informatio	n	
Ethanol	Oral Rat LD50: 6200 - 17800	
Isopropanol	mg/kg Inhalation Rat LC50/4 h: >20 mg/l	Oral Rat LD50: >5000 mg/kg
	Dermal Rabbit LD50: >5000 mg/kg	
SECTION 42: Ecological inf		
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
Ethanol	Algae IC50/72h: 5000 mg/l	Fish LC50/96h: 11400 mg/l
	No data is available on this product.	
12.2. Persistence and degradat	bility	
	Evaporates readily.	
12.3. Bioaccumulative potential		
	Does not bioaccumulate.	
12.4. Mobility in soil		
	Evaporates readily.	
12.5. Results of PBT and vPvB	assessment	
	No data is available on this product.	
12.6. Other adverse effects		
	No data available.	
Further information		
	Do not allow product to enter drains.	
SECTION 13: Disposal cons	iderations	
General information		
	Dispose of in compliance with all local and national regulations.	
Disposal methods		
	Contact a licensed waste disposal company.	
Disposal of packaging	r	
	Do NOT reuse empty containers. Empty containers can be sent for	disposal or recycling.
SECTION 14: Transport info	rmation	



Hazard pictograms

July .
$\langle \mathbf{v} \rangle$
2

14.1. UN number

	UN1950		
14.2. UN proper shipping name)		
	AEROSOLS		
14.3. Transport hazard class(e	s)		
ADR/RID	2		
Subsidiary risk	see SP63		
IMDG	2		
Subsidiary risk	see SP63		
ΙΑΤΑ	2		
Subsidiary risk	see SP63		
14.4. Packing group			
Packing group	-		
14.5. Environmental hazards			
Environmental hazards	No		
Marine pollutant	No		
ADR/RID			
Hazard ID	-		
Tunnel Category	(D)		
IMDG			
EmS Code	F-D S-U		
IATA			
Packing Instruction (Cargo)	203		
Maximum quantity	150 kg		
Packing Instruction	203		
(Passenger)			
Maximum quantity	75 kg		
Further information	1		
Remarks	ADR - Goods are classified as "Limited Quantities" and are therefore excempt from ADR		
Remarks	regulations. Check local legislation for domestic transport. IMDG - Goods are classified as "Limited Quantities" and are therefore exempt from IMDG		
I CIIIdi No	regulations. Check local regulation for domestic transport.		
Remarks	"Limited Quantity".		
SECTION 15: Regulatory in	formation		
	nmental regulations/legislation specific for the substance or mixture		
Regulations	Aerosol product is manufactured in compliance with Commission Directive 2008/47/EC.		
1 cyulauons			
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No		
	1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,		
	Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency,		



amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and

Revision 5 Revision date 2012-12-24

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

	No data is available on this product.	
Further information		
	Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.	
SECTION 46: Other information		

SECTION 16: Other information

Other information Revision This document differs from the previous version in the following areas:. 3 - Further information. 4 - Skin contact. 4 - Skin contact. 9 - 9.1. Information on basic physical and chemical properties (Relative density). 11 - Acute toxicity. 11 - Skin corrosion/irritation. 11 - Respiratory or skin sensitisation. 13 - Disposal of packaging. 15 - Precautionary Phrases. 16 - General information. Raw Material Data Sheets. Data sources Exposure limits. R11 - Highly flammable. Text of risk phrases in Section 3 R12 - Extremely flammable. R36 - Irritating to eyes. R38 - Irritating to skin. R43 - May cause sensitisation by skin contact. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R67 - Vapours may cause drowsiness and dizziness. General information Additional information in compliance with Regulation (EC) 1272/2008. H220 - Extremely flammable gas. H225 - Highly flammable liquid and vapour. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness. H410 - Very toxic to aquatic life with long lasting effects. H411 - Toxic to aquatic life with long lasting effects. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and



belief at the date of publication however no guarantee is made to its accuracy. This information

Further information	
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.
	*.
Informing Department	Technical Services Department.









SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Duet - Sparkling Fruits

Page 1/7

 Revision
 6

 Revision date
 2012-12-24

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Duet - Sparkling Fruits
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products;
Description	Metered aerosols - Air Neutralizers.
1.3. Details of the supplier of th	e safety data sheet
Company	Rubbermaid Commercial Products LLC
Address	Newell Rubbermaid Europe Sàrl
	Chemin de Blandonnet 10
	CH-1214 Vernier / Geneva / Switzerland
Web	www.rubbermaid.eu/contact
Telephone	+44 (0)8705 686 824
Fax	+44 (0)2030 279 352
Email	sds.CommercialProducts@newellco.com
Local Supplier	
Company	Newell Poland Services Sp. z o. o.
Address	2 UI. Wybickiego
	Manieczki
	Brodnica
	63-112 Poland
Web	www.rubbermaid.eu/contact
Telephone	+44 (0)8705 686 824
Fax	+44 (0)2030 279 352
1.4. Emergency telephone num	
Emergency telephone	+44 (0)8705 686 824
	Monday till Friday (08:30 - 17:00)
Intended use	
	Fragranced metered aerosol space sprays designed for use in proprietary automated dispensers.
Further information	
Informing Department	Technical Services Department.
SECTION 2: Hazards identif	ication
2.1. Classification of the substa	
2.1.1. Classification -	F+; R12
1999/45/EC	Symbols: F+: Extremely flammable.
Main hazards	Extremely flammable.



2.2. Label elements

	The product is classified in accordance with 67/548/EEC.
	For professional use only.
Symbols	F+: Extremely flammable.
Risk phrases	R12 - Extremely flammable.
Safety phrases	
	S2 - Keep out of the reach of children.
	S16 - Keep away from sources of ignition - No smoking.
	S23 - Do not breathe gas/fumes/vapour/spray.
	S51 - Use only in well-ventilated areas.
Precautionary Phrases	P10 - Contains cyclamen aldehyde, methylenedioxyphenyl methylpropanal. May produce an
	allergic reaction.
Further information	
Classification system	For mixtures, classification is in compliance with Regulation (EC) 1999/45. The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isobutane	601-004-00-0	75-28-5	200-857-2		40 - 50%	F+; R12
Propane	601-003-00-5	74-98-6	200-827-9		10 - 20%	F+; R12
Ethanol	603-002-00-5	64-17-5	200-578-6		1 - 10%	F; R11
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	F; R11 Xi; R36 R67
Dipropylene Glycol		110-98-5	203-821-4		1 - 10%	
Diethyl malonate		105-53-3	203-305-9		1 - 10%	Xi; R36
Linalool		78-70-6	201-134-4		1 - 10%	Xi; R38
tetrahydrolinalool		78-69-3	201-133-9		< 1%	Xi; R38 N; R51/53
Alpha-methyl-1,3-benzodioxole-5-p opanal	2	1205-17-0	214-881-6		< 1%	Xi; R43 N; R51/53
Cyclamen aldehyde		103-95-7	203-161-7		< 1%	Xn; R62 Xi; R38-43 N; R51/53
Gamma-Undecalactone		104-67-6	203-225-4		< 1%	N; R51/53

Further information

Regulation (EU) 453/2010 - Substances in compliance with Regulation (EC) 1272/2008. Isobutane - Flam. Gas 1: H220; GHS02; GHS04;.
Propane - Flam. Gas 1: H220; GHS02; GHS04;.
Ethanol - Flam. Liq. 2: H225; GHS02;.
Isopropanol - Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; GHS07; GHS02;.
Dipropylene Glycol - Skin Irr. 2: H315; Eye Irr. 2: H319; GHS07;.
Diethyl malonate - Eye Irrit. 2: H319; GHS07;.
Linalool - Skin Irrit. 2: H315; Eye Dam. 2: H319; GHS07;.
Tetrahydrolinalool - Skin Irrit. 2: H315; Eye Dam. 2: H319; GHS07;.



Further information	
	Alpha-methyl-1,3-benzodioxole-5-propanal - Aquatic Chronic 2: H411; Skin Sens. 1: H317;
	GHS07; GHS09;. Cyclamen aldehyde - Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411; GHS07;
	GHS09;
	Gamma-undecalactone - Aquatic Chronic 2: H411; EUH210; GHS09;.
Additional Information:	Full text for all Risk Phrases mentioned in this section are displayed in Section 16.
Description	Mixture of organic solvents, perfume and propane/iso-butane (propellant).
SECTION 4: First aid measu	res
4.1. Description of first aid meas	sures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water.
Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING.
4.2. Most important symptoms a	and effects, both acute and delayed
Inhalation	May cause dizziness and headache.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	If you feel unwell, seek medical advice (show the label where possible).
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Further information	
	In case of accident or if you feel unwell, seek medical advice immediately (show the label where
	possible).
SECTION 5: Firefighting mea	asures
SECTION 5: Firefighting mea 5.1. Extinguishing media	asures
	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet.
	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet.
5.1. Extinguishing media	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet.
5.1. Extinguishing media	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. n the substance or mixture
5.1. Extinguishing media5.2. Special hazards arising fror	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. n the substance or mixture
5.1. Extinguishing media5.2. Special hazards arising fror	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. n the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2).
 5.1. Extinguishing media 5.2. Special hazards arising fror 5.3. Advice for firefighters 	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. n the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2).
 5.1. Extinguishing media 5.2. Special hazards arising fror 5.3. Advice for firefighters 	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. n the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2). Wear suitable respiratory equipment when necessary. Cool fire exposed containers with waterspray.
5.1. Extinguishing media 5.2. Special hazards arising from 5.3. Advice for firefighters Further information SECTION 6: Accidental relea	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. n the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2). Wear suitable respiratory equipment when necessary. Cool fire exposed containers with waterspray.
5.1. Extinguishing media 5.2. Special hazards arising from 5.3. Advice for firefighters Further information SECTION 6: Accidental relea	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. In the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2). Wear suitable respiratory equipment when necessary. Cool fire exposed containers with waterspray. ase measures Intive equipment and emergency procedures
5.1. Extinguishing media 5.2. Special hazards arising from 5.3. Advice for firefighters Further information SECTION 6: Accidental relea	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. n the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2). Wear suitable respiratory equipment when necessary. Cool fire exposed containers with waterspray. ase measures
5.1. Extinguishing media 5.2. Special hazards arising from 5.3. Advice for firefighters Further information SECTION 6: Accidental relea 6.1. Personal precautions, prote	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. In the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2). Wear suitable respiratory equipment when necessary. Cool fire exposed containers with waterspray. ase measures Inctive equipment and emergency procedures Wear suitable protective equipment. Evacuate personnel to a safe area.
5.1. Extinguishing media 5.2. Special hazards arising from 5.3. Advice for firefighters Further information SECTION 6: Accidental relea 6.1. Personal precautions, prote	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. In the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2). Wear suitable respiratory equipment when necessary. Cool fire exposed containers with waterspray. Cool fire exposed containers with waterspray. ase measures Inclive equipment and emergency procedures Wear suitable protective equipment. Evacuate personnel to a safe area. No environmental requirements.
5.1. Extinguishing media 5.2. Special hazards arising from 5.3. Advice for firefighters Further information SECTION 6: Accidental relea 6.1. Personal precautions, prote 6.2. Environmental precautions	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. In the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2). Wear suitable respiratory equipment when necessary. Cool fire exposed containers with waterspray. Cool fire exposed containers with waterspray. ase measures Inctive equipment and emergency procedures Wear suitable protective equipment. Evacuate personnel to a safe area. No environmental requirements. Domainment and cleaning up
5.1. Extinguishing media 5.2. Special hazards arising from 5.3. Advice for firefighters Further information SECTION 6: Accidental relea 6.1. Personal precautions, prote 6.2. Environmental precautions	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. In the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2). Wear suitable respiratory equipment when necessary. Cool fire exposed containers with waterspray. Cool fire exposed containers with waterspray. ase measures Inclive equipment and emergency procedures Wear suitable protective equipment. Evacuate personnel to a safe area. No environmental requirements.
5.1. Extinguishing media 5.2. Special hazards arising from 5.3. Advice for firefighters Further information SECTION 6: Accidental relea 6.1. Personal precautions, prote 6.2. Environmental precautions	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. In the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2). Wear suitable respiratory equipment when necessary. Cool fire exposed containers with waterspray. Cool fire exposed containers with waterspray. ase measures ctive equipment and emergency procedures Wear suitable protective equipment. Evacuate personnel to a safe area. No environmental requirements. ontainment and cleaning up Ensure adequate ventilation. Absorb liquid components with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust).
5.1. Extinguishing media 5.2. Special hazards arising from 5.3. Advice for firefighters Further information SECTION 6: Accidental relea 6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co	Carbon dioxide (CO2). Alcohol resistant foam. Do NOT use water jet. In the substance or mixture Extremely flammable aerosol. Carbon oxides. Carbon dioxide (CO2). Wear suitable respiratory equipment when necessary. Cool fire exposed containers with waterspray. Cool fire exposed containers with waterspray. ase measures ctive equipment and emergency procedures Wear suitable protective equipment. Evacuate personnel to a safe area. No environmental requirements. ontainment and cleaning up Ensure adequate ventilation. Absorb liquid components with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust).



Revision 6 Revision date 2012-12-24

7.1. Precautions for safe handling

	Wear suitable protective equipment.	
7.2. Conditions for safe storage, including any incompatibilities		
	Ensure adequate ventilation of the working area. Keep in a cool, dry, well ventilated area. Heat will increase pressure in sealed containers. Keep away from sources of ignition - No smoking. Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Do not store with strong oxidising agents, Strong acids. Protect from heat and direct sunlight. Observe official regulations on storing packagings with pressurised containers.	
7.3. Specific end use(s)		

Air care products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Ethanol	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920	
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -	
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999	
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250	

8.2. Exposure controls

8.2.1. Appropriate	Ensure adequate ventilation of the working area.
engineering controls	
8.2.2. Individual protection	Adopt best Manual Handling considerations when handling, carrying and dispensing.
measures	
Eye / face protection	Avoid contact with eyes.
Skin protection -	Wash hands after handling the product.
Handprotection	
Respiratory protection	Not normally required.
Further information	
Additional Information:	Wash hands during breaks and at the end of the work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Aerosol	
Colour	According to Product specification.	
	Characteristic	
Vapour pressure	4.0 ± 0.5 bar	
Relative density	0.62 - 0.632	
Explosive	1.8 - 19.0 vol%	

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions.	
10.2. Chemical stability		
	Will not decompose if stored and used as recommended.	
10.3. Possibility of hazardous reactions		

Strong oxidising agents.



Revision	6
Revision date	2012-12-24

10.4. Conditions to avoid	Revision date 2012-12-2
	Store at temperatures above 50 °C. Uset apartic and open former
10.5. Incompatible materials	Store at temperatures above 50 °C. Heat, sparks and open flames.
	No data available.
10.6. Hazardous decompositior	
	Carbon oxides. Carbon dioxide (CO2).
SECTION 11: Toxicological	
11.1. Information on toxicologic	
Skin corrosion/irritation	May cause irritation to skin. May cause allergic reactions in susceptible people.
11.1.4. Toxicological Informatio	
Ethanol	Oral Rat LD50: 6200 - 17800 mg/kg
Isopropanol	Inhalation Rat LC50/4 h: >20 mg/l Oral Rat LD50: >5000 mg/kg
	Dermal Rabbit LD50: >5000 mg/kg
SECTION 12: Ecological info	ormation
12.1. Toxicity	
Ethanol	Algae IC50/72h: 5000 mg/l Fish LC50/96h: 11400 mg/l
	No data is available on this product.
12.2. Persistence and degradat	
	Evaporates readily.
12.3. Bioaccumulative potential	
	Does not bioaccumulate.
12.4. Mobility in soil	
	Evaporates readily.
12.5. Results of PBT and vPvB	assessment
	No data is available on this product.
12.6. Other adverse effects	
	No data available.
Further information	
	Do not allow product to enter drains.
SECTION 13: Disposal cons	siderations
General information	
	Dispose of in compliance with all local and national regulations.
Disposal methods	
	Contact a licensed waste disposal company.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
SECTION 14: Transport info	rmation
Hazard pictograms	
	1





 Revision
 6

 Revision date
 2012-12-24

	Revision date 2012-12-24
14.1. UN number	
	UN1950
14.2. UN proper shipping nam	6
	AEROSOLS
14.3. Transport hazard class(e	
ADR/RID	2
Subsidiary risk	see SP63
IMDG	2
Subsidiary risk	see SP63
IATA	2
Subsidiary risk	see SP63
14.4. Packing group	
Packing group	-
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
ADR/RID	
Hazard ID	
Tunnel Category	- (D)
IMDG	
	F-D S-U
EmS Code	F-D S-0
Packing Instruction (Cargo)	203
Maximum quantity	150 kg
Packing Instruction (Passenger)	203
Maximum quantity	75 kg
Further information	
Remarks	ADR - Goods are classified as "Limited Quantities" and are therefore excempt from ADR
	regulations. Check local legislation for domestic transport.
Remarks	IMDG - Goods are classified as "Limited Quantities" and are therefore exempt from IMDG
	regulations. Check local regulation for domestic transport.
Remarks	"Limited Quantity".
SECTION 15: Regulatory in	formation
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
Regulations	Aerosol product is manufactured in compliance with Commission Directive 2008/47/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No
	1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency,
	amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and
	Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and
	Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH), establishing a European Chemicals Agency, amending Directive
	1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC)
	No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC,



Revision 6

Revision date 2012-12-24

	Revision date 2012-12
15.1. Safety, health and envi	ronmental regulations/legislation specific for the substance or mixture
	93/67/EEC, 93/105/EC and 2000/21/EC.
5.2. Chemical safety assess	sment
	No data is available on this product.
urther information	
	Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.
	Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent
	material.
ECTION 16: Other inform	nation
Other information	
Revision	This document differs from the previous version in the following areas:.
	3 - Further information.
	4 - Skin contact.
	4 - Skin contact.
	8 - Additional Information:
	11 - Skin corrosion/irritation.
	11 - Respiratory or skin sensitisation.
	13 - Disposal of packaging.
	15 - Precautionary Phrases.
	16 - General information.
ata cources	Raw Material Data Sheets.
Data sources	
	Exposure limits.
ext of risk phrases in	R11 - Highly flammable.
ection 3	R12 - Extremely flammable.
	R36 - Irritating to eyes.
	R38 - Irritating to skin.
	R43 - May cause sensitisation by skin contact.
	R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
	R62 - Possible risk of impaired fertility.
	R67 - Vapours may cause drowsiness and dizziness.
eneral information	
	Additional information in compliance with Regulation (EC) 1272/2008.
	H220 - Extremely flammable gas.
	H225 - Highly flammable liquid and vapour.
	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H336 - May cause drowsiness or dizziness.
	H411 - Toxic to aquatic life with long lasting effects.
urther information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.
	*.
nforming Department	Technical Services Department.

